DECEMBER 1999

ISSN 0301-0104

Chemical Physics

A journal devoted to experimental and theoretical research involving problems of both a chemical and a physical nature

MASTER INDEX

VOLUMES 241–250

FEBRUARY–DECEMBER 1999

Editors
ROBIN M. HOCHSTRASSER
G. LUDWIG HOFACKER
H. PETER TROMMSDORFF

NORTH-HOLLAND

Chemical Physics

A journal devoted to experimental and theoretical research involving problems of both a chemical and a physical nature

EDITORS

ROBIN M. HOCHSTRASSER
Department of Chemistry, University of Pennsylvania, Philadelphia, PA 19104-6323, USA
Fax: 1-215-8980590; E-mail: hochstra@a.chem.upenn.edu

G. LUDWIG HOFACKER
Lehrstuhl für Theoretische Chemie, Technische Universität München, Lichtenbergstrasse 4, 85747 Garching, Germany
Fax: 49-89-28913622; E-mail: hofacker@theochem.tu-muenchen.de

H. PETER TROMMSDORFF
Laboratoire de Spectrométrie Physique, Université Joseph Fourier de Grenoble - CNRS, B.P. 87, 38402 Saint-Martin-d'Hères Cedex, France
Fax: 33-476-514335; E-mail: chemphys@ujf-grenoble.fr

ASSOCIATE EDITOR

DAVID CHANDLER
Department of Chemistry, University of California Berkeley, Berkeley, CA 94720, USA
Fax: 1-510-6428369; E-mail: chandler@cchem.berkeley.edu

FOUNDING EDITORS: G.L. HOFACKER, G.W. ROBINSON, E.W. SCHLAG

ADVISORY EDITORIAL BOARD

Australia
D.J. EVANS, Canberra
N.S. HUSH, Sydney
R.O. WATTS, Melbourne

Canada
R.J.D. MILLER, Toronto

Denmark
G.D. BILLING, Copenhagen

France
S. LEACH, Meudon
D. MARKOVITSI, Gif-sur-Yvette
J.L. MARTIN, Palaiseau
M. ORRIT, Talence

Germany
H. BÄSSLER, Marburg
B. DICK, Regensburg
S.F. FISCHER, Garching
H. GRABERT, Freiburg
D. HAARER, Bayreuth
P. HÄNGGI, Augsburg
W. LORENZ, Leipzig
D. MENZEL, Garching
M. PARRINELLO, Stuttgart
E.W. SCHLAG, Garching
W. ZINTH, Munich

Hungary
P. ORMOS, Szeged

Israel
R.B. GERBER, Jerusalem
J. JORTNER, Tel Aviv
R.D. LEVINE, Jerusalem
E. POLLAK, Rehovot

Italy
G. CICCOTTI, Rome

Japan
H. HAMAGUCHI, Tokyo
M. ITO, Okazaki
T. KITAGAWA, Okazaki
T. KOBAYASHI, Tokyo
K. YOSHIHARA, Ishikawa

The Netherlands
D. FRENKEL, Amsterdam

Russian Federation
V.S. LETOKHOV, Moscow

Sweden
R. RIGLER, Stockholm

Switzerland
H. FISCHER, Zurich
S. LEUTWYLER, Bern

Taiwan
Y.T. LEE, Taipei

United Kingdom
A.D. BUCKINGHAM, Cambridge
D.C. Clary, London
D.A. KING, Cambridge
P.A. MADDEN, Oxford
J.P. SIMONS, Oxford

USA
A.C. ALBRECHT, Ithaca, NY
D.C. Clary, London
P. ALIVISATOS, Berkeley, CA
V.A. APKARIAN, Irvine, CA
P.F. BARBARA, Austin, TX
R. BERSOHN, New York, NY
S.G. BOXER, Stanford, CA
S.T. CEYER, Cambridge, MA
K.A. DILL, San Francisco, CA
W.A. EATON, Bethesda, MD
M.D. FAYER, Stanford, CA
G.R. FLEMING, Berkeley, CA
G. FLYNN, New York, NY

USA (continued)
R.A. FRIESNER, New York, NY
M. KLEIN, Philadelphia, PA
W.C. LINEBERGER, Boulder, CO
D.S. McCLURE, Princeton, NJ
D.M. NEUMARK, Berkeley, CA
M.D. NEWTON, Upton, NY
C.S. PARMENTER, Bloomington, IN
M.A. RATNER, Evanston, IL
G.W. ROBINSON, Lubbock, TX
G.J. SMALL, Ames, IA
J.C. TULLY, New Haven, CT
J.D. WEEKS, College Park, MD
K.B. WHALEY, Berkeley, CA
P.G. WOLYNES, Urbana, IL
R.N. ZARE, Stanford, CA
A.H. ZEWAIL, Pasadena, CA

AIMS AND SCOPE

Chemical Physics publishes experimental and theoretical papers on all aspects of chemical physics. Experimental papers are brought into relation with theory and theoretical papers demonstrate their relation to present or future experiments. More specifically, subject matter in the fields of spectroscopy and molecular structure, interacting systems, relaxation phenomena, fundamental problems in molecular reactivity, molecular quantum theory and statistical mechanics constitute the main areas of interest for this journal. In addition to regular issues, *Chemical Physics* publishes thematic issues containing invited articles by specialists in the relevant field.

NORTH-HOLLAND

Chemical Physics

EDITORS

ROBIN M. HOCHSTRASSER
Department of Chemistry, University of Pennsylvania, Philadelphia, PA 19104-6323, USA
Fax: 1-215-8980590; E-mail: hochstra@a.chem.upenn.edu

G. LUDWIG HOFACKER
Lehrstuhl für Theoretische Chemie, Technische Universität München, Lichtenbergstrasse 4, 85747 Garching, Germany
Fax: 49-89-28913622; E-mail: hofacker@theochem.tu-muenchen.de

H. PETER TROMMSDORFF
Laboratoire de Spectrométrie Physique, Université Joseph Fourier de Grenoble - CNRS, B.P. 87, 38402 Saint-Martin-d'Hères Cedex, France
Fax: 33-476-514335; E-mail: chemphys@ujf-grenoble.fr

ASSOCIATE EDITOR

DAVID CHANDLER
Department of Chemistry, University of California Berkeley, Berkeley, CA 94720, USA
Fax: 1-510-6428369; E-mail: chandler@cchem.berkeley.edu

FOUNDING EDITORS: G.L. HOFACKER, G.W. ROBINSON, E.W. SCHLAG

ADVISORY EDITORIAL BOARD

Australia
D.J. EVANS, Canberra
N.S. HUSH, Sydney
R.O. WATTS, Melbourne

Canada
R.J.D. MILLER, Toronto

Denmark
G.D. BILLING, Copenhagen

France
S. LEACH, Meudon
D. MARKOVITSI, Gif-sur-Yvette
J.L. MARTIN, Palaiseau
M. ORRIT, Talence

Germany
H. BÄSSLER, Marburg
B. DICK, Regensburg
S.F. FISCHER, Garching
H. GRABERT, Freiburg
D. HAARER, Bayreuth
P. HÄNGGI, Augsburg
W. LORENZ, Leipzig
D. MENZEL, Garching
M. PARRINELLO, Stuttgart
E.W. SCHLAG, Garching
W. ZINTH, Munich

Hungary
P. ORMOS, Szeged

Israel
R.B. GERBER, Jerusalem
J. JORTNER, Tel Aviv
R.D. LEVINE, Jerusalem
E. POLLAK, Rehovot

Italy
G. CICCOTTI, Rome

Japan
H. HAMAGUCHI, Tokyo
M. ITO, Okazaki
T. KITAGAWA, Okazaki
T. KOBAYASHI, Tokyo
K. YOSHIHARA, Ishikawa

The Netherlands
D. FRENKEL, Amsterdam

Russian Federation
V.S. LETOKHOV, Moscow

Sweden
R. RIGLER, Stockholm

Switzerland
H. FISCHER, Zurich
S. LEUTWYLER, Bern

Taiwan
Y.T. LEE, Taipei

United Kingdom
A.D. BUCKINGHAM, Cambridge
D.C. Clary, London
D.A. KING, Cambridge
P.A. MADDEN, Oxford
J.P. SIMONS, Oxford

USA
A.C. ALBRECHT, Ithaca, NY
D.C. Clary, London
P. ALIVISATOS, Berkeley, CA
V.A. APKARIAN, Irvine, CA
P.F. BARBARA, Austin, TX
R. BERSOHN, New York, NY
S.G. BOXER, Stanford, CA
S.T. CEYER, Cambridge, MA
K.A. DILL, San Francisco, CA
W.A. EATON, Bethesda, MD
M.D. FAYER, Stanford, CA
G.R. FLEMING, Berkeley, CA
G. FLYNN, New York, NY

USA (continued)
R.A. FRIESNER, New York, NY
M. KLEIN, Philadelphia, PA
W.C. LINEBERGER, Boulder, CO
D.S. McCLURE, Princeton, NJ
D.M. NEUMARK, Berkeley, CA
M.D. NEWTON, Upton, NY
C.S. PARMENTER, Bloomington, IN
M.A. RATNER, Evanston, IL
G.W. ROBINSON, Lubbock, TX
G.J. SMALL, Ames, IA
J.C. TULLY, New Haven, CT
J.D. WEEKS, College Park, MD
K.B. WHALEY, Berkeley, CA
P.G. WOLYNES, Urbana, IL
R.N. ZARE, Stanford, CA
A.H. ZEWAIL, Pasadena, CA

Abstracted/indexed in: Chemical Abstracts, ERDA Abstracts, ISI Current Contents, Inspec Abstracts, Nuclear Engineering Abstracts, Physics Abstracts, Physikalische Berichte/Physics Briefs.

Chemical Physics

Editors

ROBIN M. HOCHSTRASSER, Philadelphia

G. LUDWIG HOFACKER, Munich

H. PETER TROMMSDORFF, Grenoble

Associate Editor

DAVID CHANDLER, Berkeley

MASTER INDEX

VOLUMES 241–250

FEBRUARY–DECEMBER 1999

ELSEVIER

Amsterdam – Lausanne – New York – Oxford – Shannon – Tokyo

© 1999, Elsevier Science B.V. All rights reserved

This journal and the individual contributions contained in it are protected under copyright by Elsevier Science B.V., and the following terms and conditions apply to their use:

Photocopying
Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the Publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale, and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.
Permissions may be sought directly from Elsevier Science Rights & Permissions Department, P.O. Box 800, Oxford OX5 1DX, UK; phone: (+44) 1865 843830, fax: (+44) 1865 853333, e-mail: permissions@elsevier.co.uk. You may also contact Rights & Permissions directly through Elsevier's home page (http://www.elsevier.nl), selecting first 'Customer Support', then 'General Information', then 'Permissions Query Form'.
In the USA, users may clear permissions and make payments through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (+1) (978) 7508400, fax: (+1) (978) 7504744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 171 631 5555; fax: (+44) 171 631 5500. Other countries may have a local reprographic rights agency for payments.

Derivative Works
Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the Publisher is required for resale or distribution outside the institution.
Permission of the Publisher is required for all other derivative works, including compilations and translations.

Electronic Storage or Usage
Permission of the Publisher is required to store or use electronically any material contained in this journal, including any article or part of an article.
Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the Publisher.
Address permissions requests to: Elsevier Science Rights & Permissions Department, at the mail, fax and e-mail addresses noted above.

Notice
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made.
Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

Elsevier Science B.V.
Tel: (+31-20)4852-800 Fax: (+31-20)4852-775 E-mail: e.hovens@elsevier.nl

Postal Address

Chemical Physics
Elsevier Science B.V.
P.O. Box 2759
1000 CT Amsterdam
The Netherlands

Courier Service Address

Chemical Physics
Elsevier Science B.V.
Sara Burgerhartstraat 25
1055 KV Amsterdam
The Netherlands

♾ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper)

Printed in the Netherlands.

Contents

Author index to volumes 241–250 1

Subject index to volumes 241–250 37

METHODS AND CONSTRUCTS 37

Theoretical 37
Computational methods for electronic structure 37
CI and valence bond approach 39
perturbative and many body approaches 40
density functional theory 40
Semiempirical methods 41
Algebraic approaches 42
Relativistic electronic structure theory 42
Wavefunctions for highly excited and unbound states 42
Spin states and magnetic interactions 43
Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities) 43
Radiative (incl. relativistic) effects on molecules and molecular processes 45
Photon states and statistics 45
Scattering of waves and particles 46
Collisional and reactive molecular dynamics with non-frictional forces 46
Reactive molecular dynamics including dissipative processes 46
Intramolecular dynamics 46
Molecular dynamics of many particle systems and condensed phases 47
Quasiparticle dynamics (incl. excitons, polarons) 48
Migration and interaction on grids and lattices 48
Statistical computational methods (incl. Monte Carlo) 48
Dynamics of structures, lattices and macromolecular conformations 49
Fluctuations and random processes 49
Non-equilibrium statistical mechanics 49
Non-equilibrium thermodynamic and hydrodynamic theories 50
Equilibrium statistical mechanics and thermodynamics 50
Extremum methods for ensembles (energy, entropy, free energy) 50
Time and space correlation functions 50

Experiment 51
Magnetic resonances 51
Molecular spectroscopy 51
microwave 53
infrared 53
Raman 54
UV 54
visible 55
Photon counting and phase fluorimetry 56
Photoelectron and Auger spectroscopy 56
Multiphoton ionization 56
X-ray spectroscopy 57
Electron impact spectroscopy 57
Laser induced fluorescence 57
Ultrafast measurements 58
Nonlinear optics and spectroscopy 59
Synchrotron spectroscopies 61
Coherent optical spectroscopy 61
Optical pumping 61
Multiple resonance spectroscopy 61
Optoacoustic spectroscopy 62
Atomic and molecular beam techniques 62
Mass spectroscopy 62
Radiolysis 62
Mössbauer spectroscopy 63
X-ray, electron and neutron diffraction 63
Neutron scattering (inelastic and quasielastic) 63
Small angle X-ray and neutron diffraction 63
Calorimetric methods 63
Measurement of macroscopic variables 64

OBJECTS 64

Bulk systems 64
Gases 64
Supersonic beams 65
Liquids neat 66
Liquid mixtures and solutions 66
Crystals 68
neat 69
mixed 69
Glasses 69
Complex fluids 69
liquid crystals 70
microemulsions 70
micelles 70
Polymers 70
Semiconductors 72
Metals and alloys 72
Thin films 72

Surfaces 72
Low-dimensional materials 73
Dielectrics 73
Plasmas 73
Biological systems 73

Microscopic and mesoscopic systems 74
Single atoms, molecules and assemblies (incl. biological) 74
Molecules (neutral and ionic) 75
  diatomic 78
  small polyatomics 78
  aromatics 80
  other large 81
  polymeric and biological 81
Molecular aggregates 82
  dimers 82
  van der Waals molecules 82
  clusters 83
  complexes 83
Free radicals (incl. hydronium and muonium) 84
Quasiparticles (incl. excitons) 84
Defects and impurities 84
Ions and charge carriers 84
Supramolecular assemblies (incl. nanoparticles and nanostructures) 85
Liquid–liquid and liquid–solid interfaces 85
Biological assemblies, cells and organelles 85
Proteins 85
Nucleic acids 86

PHENOMENA 86

Molecular structure 86
Vibrations and rotations of molecules 87
Electronic structure and states 89
Electric and magnetic properties 91
Spin splittings 92
Optical activity 92
Molecular interactions 92
Spectral bandshapes and intensities 93
Coupling of electronic and nuclear motion 94
Energy transfer processes 94
Molecular photophysical processes 95
Photochemistry 96
Intramolecular dynamics 97
  radiationless transitions 97
  vibrational energy redistribution (incl. vibrational dissociation) 97
  protein motion 97
Luminescence spectra, yields and lifetimes 98
Coherence loss processes 98
Nonlinear responses (incl. optical) 98
Multiphoton phenomena 101
Reactions (incl. dissociation) 101
  isolated molecules 102
  collisional 102
  condensed phase 102
Tunneling 102
Electron transfer 103
Proton and hydrogen atom transfer 104
Positron annihilation 104
Ionization (incl. Rydberg states) 104
Molecular motion (incl. diffusive) 105
Isotopic effects 105
Fluctuations and noise 106
Collective motion and excitations 106
Surface chemical physics 106
  surface scattering 106
  adsorption 106
  adsorbate structure 106
  surface reactions 107
  catalysis 107
Electronic process in gases 107
Thermodynamic and transport properties 107
Structure of solids, liquids and glasses 107
Critical behavior and phase transitions 107
Molecular self-assembly and -organization 108
Biomolecular structure–function relationships 108

ELSEVIER

Chemical Physics 241–250 (1999) 1–35

Chemical Physics

www.elsevier.nl/locate/chemphys

Author index to volumes 241–250

Aartsma, T.J., see van Oijen, A.M. 247 (1999) 53
Abkowicz-Bieńko, A.J., Z. Latajka, D.C. Bieńko and D. Michalska, Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies 250 (1999) 123
Abramczyk, H. and B. Brożek, Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics? 250 (1999) 145
Abramczyk, H., see Brożek, B. 250 (1999) 35
Adachi, H., see Suzuki, C. 241 (1999) 17
Adachi, H., see Suzuki, C. 247 (1999) 453
Adhikari, S. and G.D. Billing, The effect of a cluster on a chemical reaction: a quasiclassical trajectory study 250 (1999) 295
Aebersold, M.A., see Gillon, B. 250 (1999) 23
Agranovich, V.M. and A.M. Kamchatnov, Quantum confinement and superradiance of one-dimensional self-trapped Frenkel excitons 245 (1999) 175
Ågren, H., see Engström, M. 243 (1999) 263
Agulló-López, F., see Rojo, G. 245 (1999) 27
Aicken, F.M., see Munn, R.W. 245 (1999) 227
Akopyan, M.E., N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov, The iodine $E0_g^+-B0_u^+$ and $D0_u^+-X0_g^+$ transition dipole moment functions 242 (1999) 253
Akopyan, M.E., N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii, The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition 242 (1999) 263
Alain, V., S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter, Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer 245 (1999) 51
Alemán, C., Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules 244 (1999) 151
Alemán, C., see Armelin, E.A. 241 (1999) 167
Alfredsson, M. and K. Hermansson, Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice 242 (1999) 161
Alikhani, M.E., see Manceron, L. 244 (1999) 215
Alikhani, M.E., see Asselin, P. 249 (1999) 73
Allouche, A.R., see Magnier, S. 246 (1999) 57
Allouche, A.R., see Rousseau, S. 247 (1999) 193
Alonso, J.L., see de Luis, A. 248 (1999) 247
Amorim, J., J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão, Superelastic collisions of electrons with the $c\,^3\Pi_u$ metastable state in hydrogen dc positive column 246 (1999) 275
Anderson, H.L., see Thorne, J.R.G. 248 (1999) 181

PII: S0301-0104(99)00374-2

Andersson, L.M., H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson, Vibrational wave packet dynamics in NaK: The $A\,^1\Sigma^+$ state 241 (1999) 43
Andersson, P.U., see Marković, N. 247 (1999) 413
Andraud, C., T. Zabulon, A. Collet and J. Zyss, Nonlinear optical properties of polyenoctupoles: a multipolar tensorial quantum analysis 245 (1999) 243
Andrés, J., see Rotinov, A. 246 (1999) 1
Andrzejak, M., see Petelenz, P. 243 (1999) 149
Anishchik, S.V., V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin, Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions 242 (1999) 319
Anisimov, O.A., see Anishchik, S.V. 242 (1999) 319
Aniszfeld, R., see Robinson, B.H. 245 (1999) 35
Antic, D., see Crespo, R. 244 (1999) 203
Armelin, E.A., C. Alemán, P.M. Donate and S.E. Galembeck, Computational studies in aqueous and chloroform solutions of complex organic solutes: distinctive effects of the solvent on solutes with small chemical differences 241 (1999) 167
Arulmozhiraja, S., T. Fujii and H. Tokiwa, In^+ cation interactions with some organics: ab initio molecular orbital and density functional theory 250 (1999) 237
Asselin, P., P. Soulard, M.E. Alikhani and J.P. Perchard, A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment 249 (1999) 73
Aubert-Frécon, M., see Magnier, S. 246 (1999) 57
Aubert-Frécon, M., see Rousseau, S. 247 (1999) 193
Auzinsh, M., see Kennedy, S. 244 (1999) 449
Axenson, T.J., see Strohkendl, F.P. 245 (1999) 285

Bacis, R., see Inard, D. 243 (1999) 305
Bagieu-Beucher, M., see Masse, R. 245 (1999) 365
Ballard, C.C., see Palmer, M.H. 249 (1999) 129
Bancewicz, M., Kurtosis of level distributions in vibrational spectra. Coupled Morse oscillators 247 (1999) 341
Banfi, G.P., P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood, Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal 245 (1999) 345
Barford, W., see Bursill, R.J. 243 (1999) 35
Barnes, M.D., see Fukui, K. 244 (1999) 339
Bartkowiak, W., see Lipiński, J. 245 (1999) 263
Basché, T., see Mais, S. 247 (1999) 41
Basché, Th., see Kulzer, F. 247 (1999) 23
Bässler, H., see Romanovskii, Yu.V. 249 (1999) 29
Bauer-Gogonea, S., S. Bauer and W. Wirges, In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques 245 (1999) 297
Bauer, S., see Bauer-Gogonea, S. 245 (1999) 297
Baumgarten, M. and S. Karabunarliev, Reverting the effect of magnetic couplers in bridged di- and polyradicals 244 (1999) 35
Baumgarten, M., see Zhang, J. 246 (1999) 209

Becucci, M., see López-Tocón, I. 249 (1999) 113
Belchior, J.C., see Lemes, N.H.T. 241 (1999) 305
Benderskii, V.A., E.V. Vetoshkin and H.P. Trommsdorff, Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data 244 (1999) 273
Benderskii, V.A., E.V. Vetoshkin and H.P. Trommsdorff, Tunneling splittings in vibrational spectra of non-rigid molecules. VI. Asymmetric double-well potentials 244 (1999) 299
Bens, A.T., see Ern, J. 246 (1999) 115
Berg, L.-E., see Andersson, L.M. 241 (1999) 43
Bernardes, E.S. and J.E.M. Hornos, The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach 242 (1999) 295
Berrehar, J., see Donovan, K.J. 250 (1999) 61
Berski, S., see Lundell, J. 247 (1999) 215
Berthier, G., see Elkhattabi, S. 241 (1999) 257
Bertolotti, M., see Michelotti, F. 245 (1999) 311
Beutter, M., see Andersson, L.M. 241 (1999) 43
Bhattacharya, D., see Steier, W.H. 245 (1999) 487
Bhattacharyya, K., see Pal, S.K. 249 (1999) 63
Bhattacharyya, S.P., see Chaudhury, P. 241 (1999) 313
Bian, W., X. Zhao, Y. Wang and Y. Wang, Direct solution of the Schrödinger equation for some muonic molecules 242 (1999) 195
Bibinov, N.K., see Akopyan, M.E. 242 (1999) 253
Bibinov, N.K., see Akopyan, M.E. 242 (1999) 263
Bielschowsky, C.E., see Rocha, A.B. 243 (1999) 9
Bieńko, D.C., see Abkowicz-Bieńko, A.J. 250 (1999) 123
Bignonneau, G., A. Fritsch and L. Ducasse, Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian 242 (1999) 301
Billing, G.D., Trajectory driven second quantization approach to quantum dynamics 242 (1999) 341
Billing, G.D., see Adhikari, S. 250 (1999) 295
Bitterer, U., see Schmälzlin, E. 245 (1999) 73
Blaise, P. and O. Henri-Rousseau, Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation 243 (1999) 229
Blaise, P., O. Henri-Rousseau and A. Grandjean, Theory of weak damped H-bonds: relative influence of relaxation mechanisms on IR spectra 244 (1999) 405
Blaise, P., see Henri-Rousseau, O. 250 (1999) 249
Blake, I.M., see Thorne, J.R.G. 248 (1999) 181
Blanchard-Desce, M., see Alain, V. 245 (1999) 51
Blau, W.J., see Holzer, W. 246 (1999) 445
Blau, W.J., see Holzer, W. 248 (1999) 273
Blinov, L.M., M.V. Kozlovsky and G. Cipparrone, Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores 245 (1999) 473
Bogdanchikov, G.A., see Makarov, V.I. 242 (1999) 37
Bohr, H.G., K.J. Jalkanen, M. Elstner, K. Frimand and S. Suhai, A comparative study of MP2, B3LYP, RHF and SCC-DFTB force fields in predicting the vibrational spectra of N-acetyl-L-alanine-N'-methyl amide: VA and VCD spectra 246 (1999) 13
Boilot, J.-P., see Brunel, M. 246 (1999) 477

Boiron, A.-M., Ph. Tamarat, B. Lounis, R. Brown and M. Orrit, Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures? 247 (1999) 119
Bok, J., A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann, The convolution problem in COIN spectroscopy 244 (1999) 89
Bondar, M.V., see Lim, J.H. 245 (1999) 79
Bondybey, V.E., see Lorenz, M. 241 (1999) 127
Bondybey, V.E., see Kraus, D. 247 (1999) 431
Bordat, P. and R. Brown, A molecular model of *p*-terphenyl and its disorder–order transition 246 (1999) 323
Borin, A.C. and F.R. Ornellas, The lowest triplet and singlet electronic states of the molecule SO 247 (1999) 351
Borovkov, V.I., see Anishchik, S.V. 242 (1999) 319
Borowicz, P., J. Herbich, A. Kapturkiewicz and J. Nowacki, Excited charge transfer states in donor–acceptor indole derivatives 244 (1999) 251
Borowicz, P., J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki, Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives 249 (1999) 49
Borsenberger, P.M., see Kadashchuk, A. 247 (1999) 307
Bosshard, C., F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich, Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds 245 (1999) 377
Bosshard, C., see Alain, V. 245 (1999) 51
Bouattour, S., T. Mhiri and J. Jaud, Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$ 248 (1999) 117
Bouevitch, O., see Lewis, A. 245 (1999) 133
Boulet, P., F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger, Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+ 244 (1999) 163
Bourgogne, C., see Masse, R. 245 (1999) 365
Bradley, D.D.C., see Holzer, W. 246 (1999) 445
Bradley, D.D.C., see Holzer, W. 248 (1999) 273
Braga, J.P., see Lemes, N.H.T. 241 (1999) 305
Bräuchle, C., see Schmälzlin, E. 245 (1999) 73
Bräuchle, C., see Mais, S. 247 (1999) 41
Bräuer, A., see Gabler, Th. 245 (1999) 507
Breckon, C., see Kuzyk, M.G. 245 (1999) 327
Brion, C.E., see Rolke, J. 244 (1999) 1
Brion, C.E., see Feng, R. 244 (1999) 127
Brion, C.E., see Feng, R. 249 (1999) 223
Brougham, D.F., A.J. Horsewill and H.P. Trommsdorff, A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds 243 (1999) 189
Brouwer, H.-J., see van Hutten, P.F. 241 (1999) 139
Brown, R., see Bordat, P. 246 (1999) 323
Brown, R., see Boiron, A.-M. 247 (1999) 119
Brożek, B. and H. Abramczyk, Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy 250 (1999) 35
Brożek, B., see Abramczyk, H. 250 (1999) 145

Brun, A., see Brunel, M. 246 (1999) 477
Bruna, P.J. and F. Grein, Theoretical study of the electron-spin magnetic moments (g-factors) of F_2^- and Cl_2^- (X_2^-), as well as MX_2 and $M_2X_2^+$ compounds with M = Li, Na 249 (1999) 169
Brunel, Ch., see Tamarat, Ph. 245 (1999) 121
Brunel, M., B. Campagne, M. Canva, A. Brun, F. Chaput and J.-P. Boilot, Ultrafast induced excited state absorption in organically doped xerogels 246 (1999) 477
Brütting, W., see Hildebrandt, R. 245 (1999) 341
Buckingham, A.D., see El-Sheikh, S.M. 247 (1999) 407
Buβ, V., see Falzewski, S. 243 (1999) 179
Buldyreva, J.V., see Kouzov, A.P. 243 (1999) 137
Bureau, B., G. Silly, J.Y. Buzaré and J. Emery, Superposition model for ^{19}F isotropic chemical shift in ionic fluorides: from basic metal fluorides to transition metal fluoride glasses 249 (1999) 89
Burgess, J., see Sánchez, F. 243 (1999) 159
Burshtein, A.I., Contact and remote ion radicals formation and recombination 247 (1999) 275
Burshtein, A.I., Erratum to "Contact and remote ion radicals formation and recombination" [Chemical Physics 247 (1999) 275–291] 250 (1999) 111
Burshtein, A.I., see Krissinel, E.B. 247 (1999) 261
Bursill, R.J., W. Barford and H. Daly, Molecular orbital models of benzene, biphenyl and the oligophenylenes 243 (1999) 35
Buzaré, J.Y., see Bureau, B. 249 (1999) 89

Caballero, N.B., E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino, Kinetics of the recombination reactions of CClF with CF_2 and with CClF 246 (1999) 157
Cacelli, I., see Carravetta, V. 243 (1999) 77
Cai, C., see Bosshard, C. 245 (1999) 377
Campagne, B., see Brunel, M. 246 (1999) 477
Canfield, B.K., see Kuzyk, M.G. 245 (1999) 327
Cantin, C., see Daubric, H. 244 (1999) 75
Canva, M., see Brunel, M. 246 (1999) 477
Cao, Z., H. Xian, W. Wu and Q. Zhang, An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F 243 (1999) 209
Čápek, V., see Bok, J. 244 (1999) 89
Caputo, M.C., see Ferraro, M.B. 241 (1999) 1
Caputo, M.C., see Lazzeretti, P. 246 (1999) 75
Caputo, R., A.V. Sukhov, N.V. Tabiryan and C. Umeton, Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern 245 (1999) 463
Cardy, H., see Lacombe, S. 244 (1999) 175
Carravetta, V. and I. Cacelli, Calculation of the differential photoionization cross-section of PH_3 243 (1999) 77
Casalegno, R., see Ziane, O. 250 (1999) 199
Castellano, E., see Caballero, N.B. 246 (1999) 157
Castellucci, E., see López-Tocón, I. 249 (1999) 113
Catalán, J., see Palomar, J. 246 (1999) 167
Cataliotti, R.S., see Marri, E. 243 (1999) 323
Cattaneo, P., M. Persico and A. Tani, Nonadiabatic processes in solution: molecular dynamics and surface hopping 246 (1999) 315

Cavell, R.G., see Jürgensen, A. 247 (1999) 445
Cerny, D., see Inard, D. 243 (1999) 305
Chamma, D. and O. Henri-Rousseau, IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments 248 (1999) 71
Chamma, D. and O. Henri-Rousseau, IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory 248 (1999) 53
Chamma, D. and O. Henri-Rousseau, Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances 248 (1999) 91
Champagne, B. and B. Kirtman, Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker 245 (1999) 213
Chandra, A., see Senapati, S. 242 (1999) 353
Chaput, F., see Brunel, M. 246 (1999) 477
Chaudhury, P. and S.P. Bhattacharyya, Locating critical points on multi-dimensional surfaces by genetic algorithm: test cases including normal and perturbed argon clusters 241 (1999) 313
Chauvin, A.H., see Kustova, E.V. 248 (1999) 221
Cheche, T. and S.H. Lin, Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions 243 (1999) 123
Chemla, D.S., see Dahan, M. 247 (1999) 85
Chemla, D.S., see Ha, T. 247 (1999) 107
Chen, A., see Robinson, B.H. 245 (1999) 35
Chen, A., see Steier, W.H. 245 (1999) 487
Chen, D., see Steier, W.H. 245 (1999) 487
Chen, G., see Su, Z. 247 (1999) 185
Chen, M., X. Wang, L. Zhang, M. Yu and Q. Qin, Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas 242 (1999) 81
Chen, M., see Zhang, L. 249 (1999) 161
Chen, P.H., see Khoo, I.C. 245 (1999) 517
Chen, X.J., see Tian, S.X. 242 (1999) 217
Chen, Z., see Lewis, A. 245 (1999) 133
Chermette, H., see Boulet, P. 244 (1999) 163
Chernousov, Yu.D., see Anishchik, S.V. 242 (1999) 319
Chernyak, V., see Tretiak, S. 245 (1999) 145
Cheung, G.H., see Kowert, B.A. 247 (1999) 435
Chiba, H., see Shimizu, Y. 244 (1999) 439
Chibisov, A.K., V.I. Prokhorenko and H. Görner, Effects of surfactants on the aggregation behaviour of thiacarbocyanine dyes 250 (1999) 47
Chiu, D.T., C.F. Wilson, A. Karlsson, A. Danielsson, A. Lundqvist, A. Strömberg, F. Ryttsén, M. Davidson, S. Nordholm, O. Orwar and R.N. Zare, Manipulating the biochemical nanoenvironment around single molecules contained within vesicles 247 (1999) 133
Chotin, J.-L., see Field, T.A. 250 (1999) 81
Christ, Th., see Kulzer, F. 247 (1999) 23
Chu, S.-Y., see Lin, C.-L. 249 (1999) 145
Chua, M. and P.A. Tanner, Energy transfer and migration in highly forbidden transitions of lanthanide ion doped crystals 250 (1999) 267
Chuchani, G., see Rotinov, A. 246 (1999) 1

Churassy, S., see Inard, D. 243 (1999) 305
Chuyanov, V., see Steier, W.H. 245 (1999) 487
Cipparrone, G., see Simoni, F. 245 (1999) 429
Cipparrone, G., see Blinov, L.M. 245 (1999) 473
Clade, J., see Engemann, C. 243 (1999) 61
Cobos, C.J., see Caballero, N.B. 246 (1999) 157
Collet, A., see Andraud, C. 245 (1999) 243
Conard, J., see Fillaux, F. 242 (1999) 273
Cong, S.-L., K.-L. Han and N.-Q. Lou, Alignment determination of symmetric top molecule using rotationally resolved LIF 249 (1999) 183
Consalvo, D. and J. Gripp, The electric dipole moment of the Ar_2–OCX (X = O,S) complexes 249 (1999) 41
Cooper, G., see Feng, R. 244 (1999) 127
Cooper, G., see Feng, R. 249 (1999) 223
Corval, A., see Ziane, O. 250 (1999) 199
Cousson, A., see Fillaux, F. 244 (1999) 387
Crespo, R., H. Teramae, D. Antic and J. Michl, Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane 244 (1999) 203
Croce, A.E., see Caballero, N.B. 246 (1999) 157
Curtiss, L.A., see Szarka, A.Z. 246 (1999) 147
Czuchaj, E. and H. Stoll, Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes 248 (1999) 1

Dahan, M., A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss, Ratiometric measurement and identification of single diffusing molecules 247 (1999) 85
Dalton, L.R., see Robinson, B.H. 245 (1999) 35
Dalton, L.R., see Strohkendl, F.P. 245 (1999) 285
Dalton, L.R., see Steier, W.H. 245 (1999) 487
Daly, H., see Bursill, R.J. 243 (1999) 35
Dang, N.C., see Kowert, B.A. 247 (1999) 435
Danielsson, A., see Chiu, D.T. 247 (1999) 133
Daoudi, A., see Elkhattabi, S. 241 (1999) 257
Da Paixão, F.J., see Amorim, J. 246 (1999) 275
Dargelos, A., see Lacombe, S. 244 (1999) 175
Dasari, R.R., see Kneipp, K. 247 (1999) 155
Datta, P.K., see Banfi, G.P. 245 (1999) 345
Daubric, H., C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn, Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of Fe(*PM-PEA*)$_2$(NCS)$_2$ 244 (1999) 75
Davidenko, N.A. and A.A. Ishchenko, Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes 247 (1999) 237
Davidson, E.R., see Rolke, J. 244 (1999) 1
Davidson, M., see Chiu, D.T. 247 (1999) 133
De Castro, E.V.R., F.E. Jorge and J.C. Pinheiro, Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method 243 (1999) 1
Decleva, P., see Fronzoni, G. 246 (1999) 127
Degiorgio, V., see Banfi, G.P. 245 (1999) 345

DeGrado, W.F., see Jia, Y. 247 (1999) 69
De la Torre, G., see Rojo, G. 245 (1999) 27
Delley, B., see Gillon, B. 250 (1999) 23
De Luis, A., J.C. López and J.L. Alonso, The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy 248 (1999) 247
Deniz, A.A., see Dahan, M. 247 (1999) 85
Deniz, A.A., see Ha, T. 247 (1999) 107
Denning, R.G., see Thorne, J.R.G. 248 (1999) 181
De Paz, J.L.G., see Palomar, J. 246 (1999) 167
Descamps, M., see Kuchta, B. 243 (1999) 169
Devore, T.C. and J.L. Gole, Energetics, molecular electronic structure, and spectroscopy of forming Group IIA dihalide complexes 241 (1999) 221
Dharmesena, K., see Kennedy, S. 244 (1999) 449
Dietter, J. and H. Morgner, Structure and dynamics at the liquid surface of benzyl alcohol 241 (1999) 55
Dietz, F. and N. Tyutyulkov, Structure and properties of non-classical polymers. Part XII: A new family of high-spin polycyclic 1-D systems 246 (1999) 255
Dinescu, L., see Saad, B. 245 (1999) 395
Ding, S., see Zheng, Y. 247 (1999) 225
Dirk, C.W., see Zhang, L. 245 (1999) 99
Di Stefano, G., M. Lenzi and A. Ricci, Linestrengths of phosphorus monohydride. II. Isotope effect in the PX (X = H, D) b $^1\Sigma^+$ ($v' = 0$) → X $^3\Sigma^-$ ($v'' = 0$) emission 246 (1999) 267
Distefano, G., see Modelli, A. 250 (1999) 311
Dogra, S.K., see Krishnamoorthy, G. 243 (1999) 45
Doktorov, A.B., see Kipriyanov, A.A. 244 (1999) 361
Doktorov, A.B., see Igoshin, O.A. 244 (1999) 371
Domingo, L.R., see Rotinov, A. 246 (1999) 1
Domínguez-Adame, F., V.A. Malyshev and A. Rodríguez, Absorption line shape of Frenkel excitons in one-dimensional random chains with pairwise correlated Gaussian disorder 244 (1999) 351
Donaldson, W.R., see Larkin, J.M. 244 (1999) 319
Donate, P.M., see Armelin, E.A. 241 (1999) 167
Donovan, K.J. and S. Spagnoli, Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU 247 (1999) 293
Donovan, K.J., K. Scott, S. Spagnoli and J. Berrehar, DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene 250 (1999) 61
Donovan, K.J., see Spagnoli, S. 250 (1999) 71
Douin, S., see Field, T.A. 250 (1999) 81
Drozd-Rzoska, A., see Habdas, P. 241 (1999) 351
Ducasse, L., see Bignonneau, G. 242 (1999) 301
Dulieu, F., see Field, T.A. 250 (1999) 81
Dumont, M. and A. El Osman, On spontaneous and photoinduced orientational mobility of dye molecules in polymers 245 (1999) 437
Duplâtre, G., see Subrahmanyam, V.S. 247 (1999) 333
Durov, V.A., see Shilov, I.Yu. 241 (1999) 75

Edman, L., Z. Földes-Papp, S. Wennmalm and R. Rigler, The fluctuating enzyme: a single molecule approach 247 (1999) 11

Edman, L., see Wennmalm, S. 247 (1999) 61
El-Sheikh, S.M., G.C. Tabisz and A.D. Buckingham, Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability 247 (1999) 407
Elkhattabi, S., A. Daoudi, J.P. Flament and G. Berthier, On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions 241 (1999) 257
Ellinger, Y., see Boulet, P. 244 (1999) 163
El Osman, A., see Dumont, M. 245 (1999) 437
Elstner, M., see Bohr, H.G. 246 (1999) 13
Emery, J., see Bureau, B. 249 (1999) 89
Enderlein, J., Single-molecule fluorescence near a metal layer 247 (1999) 1
Engdahl, A. and B. Nelander, The peroxy radical ammonia complex. A matrix isolation study 249 (1999) 215
Engel, M.K., see Nalwa, H.S. 245 (1999) 17
Engemann, C., R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen, X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides 243 (1999) 61
Engström, M., O. Vahtras and H. Ågren, Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals 243 (1999) 263
Ern, J., A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi, Reaction dynamics of photochromic dithienylethene derivatives 246 (1999) 115
Evans, C.M., R. Reininger and G.L. Findley, Subthreshold photoionization spectra of CH_3I perturbed by SF_6 241 (1999) 239

Falzewski, S., F. Terstegen and V. Buβ, Structure and dynamics of helically twisted cyanine dyes 243 (1999) 179
Fantin, P.A., see Jorge, F.E. 249 (1999) 105
Faure, A., C. Rist and P. Valiron, Ab initio determination of the $CN–NH_3$ capture potential energy surface 241 (1999) 29
Fehn, T., see Hildebrandt, R. 245 (1999) 341
Feld, M.S., see Kneipp, K. 247 (1999) 155
Feng, R., G. Cooper and C.E. Brion, Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV) 244 (1999) 127
Feng, R., G. Cooper and C.E. Brion, Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV) 249 (1999) 223
Ferguson, R., see Rennie, E.E. 250 (1999) 217
Ferraro, M.B., M.C. Caputo and M.E. Zitto, Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential 241 (1999) 1
Ferraro, M.B., see Lazzeretti, P. 246 (1999) 75
Ferreira Marques, M.F., see Subrahmanyam, V.S. 247 (1999) 333
Fetterman, H.R., see Steier, W.H. 245 (1999) 487
Field, T.A., F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach, Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range 250 (1999) 81
Filippone, F., see Gianturco, F.A. 241 (1999) 203
Fillaux, F., S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson, Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds 242 (1999) 273

Fillaux, F., N. Leygue, J. Tomkinson, A. Cousson and W. Paulus, Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study 244 (1999) 387
Fillion, J.-H., see Field, T.A. 250 (1999) 81
Findley, G.L., see Evans, C.M. 241 (1999) 239
Firsov, D.A., A.A. Granovsky and A.V. Nemukhin, Application of the vibrational self-consistent field and correlation techniques to the $SH/D(\tilde{A}) \cdots Rg$ (Rg = Ar, Kr) van der Waals complexes 244 (1999) 67
Fischer, H., see Wegner, M. 242 (1999) 227
Fischer, S.F., see Frantsuzov, P.A. 241 (1999) 95
Fisher, B.O., see Seccombe, D.P. 250 (1999) 335
Flament, J.P., see Elkhattabi, S. 241 (1999) 257
Focsa, C. and B. Pinchemel, Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of $TiCl^+$ and TiF^+ 247 (1999) 395
Földes-Papp, Z., see Edman, L. 247 (1999) 11
Forés, M. and S. Scheiner, Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldimine 246 (1999) 65
Fort, A., J. Muller and L. Mager, Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers 243 (1999) 115
Fortusini, D., see Banfi, G.P. 245 (1999) 345
Foster, T.H., see Larkin, J.M. 244 (1999) 319
Francisco, J.S., see Guha, S. 247 (1999) 387
Frank, A., see Lemus, R. 242 (1999) 25
Franke, R., see Engemann, C. 243 (1999) 61
Frantsuzov, P.A., S.F. Fischer and A.A. Zharikov, Stochastic effects on nonadiabatic transitions 241 (1999) 95
Fratzl, P., see Mezei, R. 246 (1999) 295
Freundlich, P., see Wójcik, G. 249 (1999) 201
Friedman, B.A., see Shimoi, Y. 250 (1999) 13
Friedman, N., see Lewis, A. 245 (1999) 133
Friend, C.S., see Winiarz, J.G. 245 (1999) 417
Frimand, K., see Bohr, H.G. 246 (1999) 13
Fritsch, A., see Bignonneau, G. 242 (1999) 301
Fronzoni, G., M. Stener and P. Decleva, Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF_3 246 (1999) 127
Fujii, T., see Arulmozhiraja, S. 250 (1999) 237
Fukui, K., B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid, Collision dynamics and surface wetting of nano-scale polymer particles on substrates 244 (1999) 339
Funatsu, T., see Ishii, Y. 247 (1999) 163
Furuya, K., see Matsuo, A. 242 (1999) 91
Fuzellier, H., see Fillaux, F. 242 (1999) 273

Gabler, Th., A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann, Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler 245 (1999) 507
Galasso, V., Theoretical study of the structure and NMR properties of μ-hydrido-bridged carbocations and carbodications 241 (1999) 247
Galasso, V., W. Grimme, J. Lex, D. Jones and A. Modelli, A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds 242 (1999) 203

Galembeck, S.E., see Armelin, E.A. 241 (1999) 167
Galstyan, T.V., see Saad, B. 245 (1999) 395
Gangopadhyay, G., S. Ghoshal and Y. Tanimura, A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system 242 (1999) 367
García-Ruiz, J., see Rojo, G. 245 (1999) 27
Garner, S., see Robinson, B.H. 245 (1999) 35
Garner, S., see Steier, W.H. 245 (1999) 487
Garvey, D.W., see Kuzyk, M.G. 245 (1999) 327
Garvey, D.W., see Kuzyk, M.G. 245 (1999) 533
Gastilovich, E.A., see Korol'kova, N.V. 248 (1999) 233
Gelabert, R., M. Moreno, J.M. Lluch and A. Lledós, A DVR analysis of some vibrational modes in the elongated dihydrogen complex $[Ru(\eta^2\text{-}H_2)(C_5H_5)(H_2PCH_2PH_2)]^+$ 241 (1999) 155
Georges, R., see Herman, M. 246 (1999) 433
Gerhard, A., see Romanovskii, Yu.V. 249 (1999) 29
Ghoshal, S., see Gangopadhyay, G. 242 (1999) 367
Gianturco, F.A. and F. Filippone, Competitive shell-filling in protonated helium clusters 241 (1999) 203
Gilardoni, F., see Boulet, P. 244 (1999) 163
Gillon, B., M.A. Aebersold, O. Kahn, L. Pardi and B. Delley, Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding 250 (1999) 23
Giorgini, M.G., see Marri, E. 243 (1999) 323
Girardet, C., see Toubin, C. 244 (1999) 227
Girlando, A., see Hennessy, M.H. 245 (1999) 199
Glania, C., see Wortmann, R. 245 (1999) 107
Gödicke, B., see Zimmer, K. 248 (1999) 263
Gole, J.L., see Devore, T.C. 241 (1999) 221
González, C. and R.G.E. Morales, Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model 250 (1999) 279
Gopich, I.V., see Kipriyanov, A.A. 244 (1999) 361
Görner, H., see Chibisov, A.K. 250 (1999) 47
Goscinski, O., see Andersson, L.M. 241 (1999) 43
Grabner, G., see Okada, T. 241 (1999) 327
Grabowska, A., see Wortmann, R. 243 (1999) 295
Gracias, D.H., D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai, A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy 245 (1999) 277
Gramlich, V., see Bosshard, C. 245 (1999) 377
Graña, A.M. and R.A. Mosquera, Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones 243 (1999) 17
Grandjean, A., see Blaise, P. 244 (1999) 405
Granovsky, A.A., see Firsov, D.A. 244 (1999) 67
Grein, F., see Hanrath, M. 249 (1999) 121
Grein, F., see Bruna, P.J. 249 (1999) 169
Grenthe, I., see Vallet, V. 244 (1999) 185
Grimm, H., see Johnson, M.R. 244 (1999) 49
Grimme, W., see Galasso, V. 242 (1999) 203
Gripp, J., see Consalvo, D. 249 (1999) 41
Gropen, O., see Vallet, V. 244 (1999) 185

Gropen, O., see Maron, L. 244 (1999) 195
Grozema, F.C., R.W.J. Zijlstra and P.Th. van Duijnen, Many-body interactions calculated with the direct reaction field model 246 (1999) 217
Gu, X.-B., see Zhu, R.-S. 248 (1999) 285
Gu, Y., see Wang, B. 243 (1999) 27
Gu, Y., see Wang, B. 247 (1999) 201
Gubler, U., see Alain, V. 245 (1999) 51
Guenther, B.D., see Hendrickx, E. 245 (1999) 407
Guest, M.F., see Palmer, M.H. 241 (1999) 275
Guest, M.F., see Palmer, M.H. 247 (1999) 349
Guha, S. and J.S. Francisco, A theoretical study of the isomerization pathways for $HBrO_2$ isomers 247 (1999) 387
Günter, P., see Alain, V. 245 (1999) 51
Günter, P., see Bosshard, C. 245 (1999) 377

Ha, T., A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss, Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein 247 (1999) 107
Ha, T., see Dahan, M. 247 (1999) 85
Haarer, D., see Müller, J. 243 (1999) 201
Habdas, P., M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska, Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture 241 (1999) 351
Hadinger, G., see Magnier, S. 246 (1999) 57
Hadj Bachir, I., see Herman, M. 246 (1999) 433
Hadziioannou, G., see van Hutten, P.F. 241 (1999) 139
Hagan, D.J., see Lim, J.H. 245 (1999) 79
Han, K.-L., see Wang, G.-J. 241 (1999) 213
Han, K.-L., see Zhu, R.-S. 248 (1999) 285
Han, K.-L., see Cong, S.-L. 249 (1999) 183
Hanack, M., see Nalwa, H.S. 245 (1999) 17
Hanon, A.C., see Fillaux, F. 242 (1999) 273
Hanrath, M., S.D. Peyerimhoff and F. Grein, Theoretical studies on the electronic spectrum of linear C_6 249 (1999) 121
Hansson, T., see Andersson, L.M. 241 (1999) 43
Harata, A., see Tsukanova, V. 250 (1999) 207
Hariharan, C., M.C. Rath, T. Mukherjee and A.K. Mishra, 2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters 248 (1999) 41
Harland, P.W., see Thompson, A.E. 248 (1999) 127
Harper, A., see Steier, W.H. 245 (1999) 487
Harper, A.W., see Robinson, B.H. 245 (1999) 35
Hartmann, E., see Engemann, C. 243 (1999) 61
Hartwich, G., see Ogrodnik, A. 244 (1999) 461
Haunert, G. and E. Tiemann, Total fragmentation of $SbCl_3$ by multiphoton dissociation in the UV 246 (1999) 381
Hävecker, M., see Vinogradov, A.S. 249 (1999) 249
Havenith, R.W.A., H.J.J. van Dam, J.H. van Lenthe and L.W. Jenneskens, The excitation energies of 1,1′-bicyclohexylidene and 1,1′:4′,1″-tercyclohexylidene. A comparison of multi-reference configuration interaction and perturbation theory approaches 246 (1999) 49

He, F.-C., see Li, X.-Y. 248 (1999) 137
He, G.-Z., see Wang, G.-J. 241 (1999) 213
He, G.-Z., see Zhu, R.-S. 248 (1999) 285
Hellwarth, R.W., see Strohkendl, F.P. 245 (1999) 285
Heming, X., see ZhaoXu, C. 250 (1999) 243
Hendrickx, E., B.D. Guenther, Y. Zhang, J.F. Wang, K. Staub, Q. Zhang, S.R. Marder, B. Kippelen and N. Peyghambarian, Ellipsometric determination of the electric-field-induced birefringence of photorefractive dyes in a liquid carbazole derivative 245 (1999) 407
Hennessy, M.H., Z.G. Soos, R.A. Pascal Jr. and A. Girlando, Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer 245 (1999) 199
Henri-Rousseau, O. and P. Blaise, Anharmonic effects on theoretical IR line shapes of H-bonds 250 (1999) 249
Henri-Rousseau, O., see Blaise, P. 243 (1999) 229
Henri-Rousseau, O., see Blaise, P. 244 (1999) 405
Henri-Rousseau, O., see Chamma, D. 248 (1999) 53
Henri-Rousseau, O., see Chamma, D. 248 (1999) 71
Henri-Rousseau, O., see Chamma, D. 248 (1999) 91
Hepp, M., see Herman, M. 246 (1999) 433
Herbich, J., see Borowicz, P. 244 (1999) 251
Herbich, J., see Borowicz, P. 249 (1999) 49
Herman, M., F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner, Spectroscopic investigation of vibration–rotation bands in acetaldehyde:. Focus on the $n\nu_3$ ($n = 1$–5) aldehyde CH stretch bands 246 (1999) 433
Hermansson, K., see Alfredsson, M. 242 (1999) 161
Hermida Ramón, J.M. and M.A. Ríos, A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases 250 (1999) 155
Herregodts, F., see Herman, M. 246 (1999) 433
Heully, J.-L., see Maron, L. 244 (1999) 195
Hildebrandt, R., H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe, Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes 245 (1999) 341
Hochstrasser, R.M., see Jia, Y. 247 (1999) 69
Holland, D.M.P. and D.A. Shaw, A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene 243 (1999) 333
Holland, D.M.P., see Rennie, E.E. 250 (1999) 217
Holzer, W., M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau, Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films 246 (1999) 445
Holzer, W., A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau, Photodegradation of some luminescent polymers 248 (1999) 273
Hoppmeier, M., see Zimmer, K. 248 (1999) 263
Hörhold, H.-H., see Gabler, Th. 245 (1999) 507
Horie, K., see Shirota, H. 242 (1999) 115
Hormes, J., see Engemann, C. 243 (1999) 61
Hornos, J.E.M., see Bernardes, E.S. 242 (1999) 295
Horsewill, A.J., see Brougham, D.F. 243 (1999) 189
Hotokka, M., see Johansson, M. 244 (1999) 25
Hou, H., see Wang, B. 243 (1999) 27
Hou, H., see Wang, B. 247 (1999) 201

Houbrecht, S., see Robinson, B.H. 245 (1999) 35
Hsu, J.-P., M.-T. Tseng and S. Tseng, Distribution of porous colloidal particles in an energy field 242 (1999) 69
Hsu, J.-P., see Kuo, Y.-C. 250 (1999) 285
Huang, K.L., see Liou, H.T. 246 (1999) 391
Hughes, A.M., see Kowert, B.A. 247 (1999) 435
Hunter, G., The nature of the $B^{(3)}$ field 242 (1999) 331
Hurst, J.K., P. Wormell, E. Krausz and A.R. Lacey, The electronic spectrum of 1, 4, 5, 8-tetraazanaphthalene 246 (1999) 229
Hwang, D.-Y., A.M. Mebel and B.-C. Wang, Ab initio study of the addition of atomic carbon with water 244 (1999) 143

Ibach, W., see Gracias, D.H. 245 (1999) 277
Ibuki, T., see Kanda, K. 243 (1999) 89
Ibuki, T., see Shimizu, Y. 244 (1999) 439
Igoshin, O.A., A.A. Kipriyanov and A.B. Doktorov, Many-particle treatment of nonuniform reacting systems $A + B \rightarrow C$ and $A + B \rightarrow C + D$ in liquid solutions 244 (1999) 371
Igoshin, O.A., see Krissinel, E.B. 247 (1999) 261
Imhof, P., W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns, Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid 242 (1999) 141
Imhof, P., W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns, Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid 242 (1999) 153
Inard, D., D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov, $E\,0_g^+ \rightarrow A\,1_u$ and $E\,0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy 243 (1999) 305
Inoue, T., see Tsukanova, V. 250 (1999) 207
Ishchenko, A.A., see Davidenko, N.A. 247 (1999) 237
Ishchenko, V.N., see Makarov, V.I. 242 (1999) 37
Ishii, Y., T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida, Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution 247 (1999) 163
Ito, H., see Sohma, S. 245 (1999) 359
Itzkan, I., see Kneipp, K. 247 (1999) 155
Ivannikov, V.I., see Anishchik, S.V. 242 (1999) 319
Ivanov, A.I. and V.V. Potovoi, Theory of non-thermal electron transfer 247 (1999) 245

Jäckel, J.-G. and H. Jones, ZEKE spectroscopy of aniline–X (X = Ar, Kr, N_2 and CO) van der Waals complex cations 247 (1999) 321
Jalkanen, K.J., see Bohr, H.G. 246 (1999) 13
Jansen, M., see Engemann, C. 243 (1999) 61
Janzen, C., see Imhof, P. 242 (1999) 141
Janzen, C., see Imhof, P. 242 (1999) 153
Janzen, Ch., see Roth, W. 248 (1999) 17
Jarosz, S., see Wortmann, R. 243 (1999) 295
Jarvis, G.K., see Seccombe, D.P. 250 (1999) 335
Jasny, J., see Sepioł, J. 247 (1999) 35

Jastrzebski, W., see Rousseau, S. 247 (1999) 193
Jaud, J., see Bouattour, S. 248 (1999) 117
Jaworska, M., RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $CbFe(CO)_3$ 242 (1999) 11
Jelezko, F., see Tamarat, Ph. 245 (1999) 121
Jen, A.K.Y., see Robinson, B.H. 245 (1999) 35
Jenneskens, L.W., see Havenith, R.W.A. 246 (1999) 49
Jhon, M.S., see Jung, D.H. 244 (1999) 331
Jia, Y., D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser, Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy 247 (1999) 69
Johansson, M., M. Hotokka, M. Pettersson and M. Räsänen, Quantum chemical potential energy surfaces for HXeCl 244 (1999) 25
Johari, G.P. and D.A. Wasylyshyn, Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies 242 (1999) 283
Johnson, C.A.F., see Rennie, E.E. 250 (1999) 217
Johnson, J.R.T. and I. Panas, Structure, bonding and redox properties of scandium oxide clusters, a model study 248 (1999) 161
Johnson, J.R.T. and I. Panas, Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides 249 (1999) 273
Johnson, M.R., M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson, Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups 244 (1999) 49
Jones, D., see Galasso, V. 242 (1999) 203
Jones, H., see Jäckel, J.-G. 247 (1999) 321
Jordan, P.C., see Tanizaki, S. 246 (1999) 37
Jorge, F.E. and P.A. Fantin, A universal basis set for cations and anions generated with the generator coordinate Hartree–Fock method 249 (1999) 105
Jorge, F.E., see de Castro, E.V.R. 243 (1999) 1
Jung, D.H., J.H. Yang and M.S. Jhon, The effect of an external electric field on the structure of liquid water using molecular dynamics simulations 244 (1999) 331
Jungen, M., see Luo, M. 241 (1999) 297
Jürgensen, A., N. Kosugi and R.G. Cavell, The sulphur 2p photoabsorption spectrum of NSF_3 247 (1999) 445

Kadashchuk, A., D.S. Weiss, P.M. Borsenberger, S. Nešpůrek, N. Ostapenko and V. Zaika, The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems 247 (1999) 307
Kafafi, Z.H., see Strohkendl, F.P. 245 (1999) 285
Kahn, O., see Daubric, H. 244 (1999) 75
Kahn, O., see Gillon, B. 250 (1999) 23
Kalamegham, P., see Zhang, L. 245 (1999) 99
Kalugin, N.G., P. Kleindienst and G.H. Wagnière, The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals 248 (1999) 105
Kamchatnov, A.M., see Agranovich, V.M. 245 (1999) 175
Kanda, K., T. Nagata and T. Ibuki, Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region 243 (1999) 89
Kang, T.J., see Ohta, K. 242 (1999) 103

Kapturkiewicz, A., see Borowicz, P. 244 (1999) 251
Kapturkiewicz, A., see Borowicz, P. 249 (1999) 49
Karabunarliev, S., see Baumgarten, M. 244 (1999) 35
Karafiloglou, P. and J.-P. Launay, Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions 250 (1999) 1
Karlsson, A., see Chiu, D.T. 247 (1999) 133
Karlsson, H.O., see Andersson, L.M. 241 (1999) 43
Kato, T., K. Yoshizawa and T. Yamabe, Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene 247 (1999) 375
Kauffmann, H.F., see Bok, J. 244 (1999) 89
Kawai, J., see Suzuki, C. 241 (1999) 17
Kawai, J., see Suzuki, C. 247 (1999) 453
Kawasaki, S., see Suzuki, C. 241 (1999) 17
Kazaoui, S., see Petelenz, P. 243 (1999) 149
Kearley, G.J., see Johnson, M.R. 244 (1999) 49
Keller, H.-M., see Hildebrandt, R. 245 (1999) 341
Kelly, J.F., see Munn, R.W. 245 (1999) 227
Kennedy, S., K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray, A method to obtain meV-collision-energy resolution in scattering studies: application to the $H + D_2 \rightarrow HD(\nu' = 0, j') + D(\theta_{rel} < 80°)$ reaction at $E_{rel} = 1.275 \pm 0.011$ eV 244 (1999) 449
Ketelaars, M., see van Oijen, A.M. 247 (1999) 53
Kharlamov, B.M., see Müller, J. 243 (1999) 201
Khatchatouriants, A., see Lewis, A. 245 (1999) 133
Khmelinskii, I.V., see Makarov, V.I. 242 (1999) 37
Khodja, S., see Lim, J.H. 245 (1999) 79
Khodykin, O.V., see Müller, J. 243 (1999) 201
Khoo, I.C., P.H. Chen, M.V. Wood and M.-Y. Shih, Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application 245 (1999) 517
Kim, J.H., see Lim, A.R. 246 (1999) 373
Kippelen, B., see Hendrickx, E. 245 (1999) 407
Kipriyanov, A.A., I.V. Gopich and A.B. Doktorov, A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions 244 (1999) 361
Kipriyanov, A.A., see Igoshin, O.A. 244 (1999) 371
Kirtman, B., see Champagne, B. 245 (1999) 213
Kir'yanova, T.A., see Korol'kova, N.V. 248 (1999) 233
Kleindienst, P., see Kalugin, N.G. 248 (1999) 105
Kleiner, I., see Herman, M. 246 (1999) 433
Kleinermanns, K., see Imhof, P. 242 (1999) 141
Kleinermanns, K., see Imhof, P. 242 (1999) 153
Kliava, J., see Daubric, H. 244 (1999) 75
Klimenko, V.G., see Korol'kova, N.V. 248 (1999) 233
Kneipp, H., see Kneipp, K. 247 (1999) 155
Kneipp, K., H. Kneipp, I. Itzkan, R.R. Dasari and M.S. Feld, Surface-enhanced non-linear Raman scattering at the single-molecule level 247 (1999) 155
Knop-Gericke, A., see Vinogradov, A.S. 249 (1999) 249
Knox, R.S., see Larkin, J.M. 244 (1999) 319

Koberling, F., see Kulzer, F. 247 (1999) 23
Kochubei, S.A., see Makarov, V.I. 242 (1999) 37
Koda, S., see Otomo, J. 242 (1999) 241
Koeberg, M., see Wegner, M. 242 (1999) 227
Köhler, G., see Okada, T. 241 (1999) 327
Köhler, J., see van Oijen, A.M. 247 (1999) 53
Kokh, D.B., see Akopyan, M.E. 242 (1999) 253
Kokh, D.B., see Akopyan, M.E. 242 (1999) 263
Kołodziej, H.A., see Wójcik, G. 249 (1999) 201
Komorowska, M., J. Lamperski and L. Komorowski, Near-infrared-induced proton transfer studied by electron spin resonance 244 (1999) 101
Komorowski, L., see Komorowska, M. 244 (1999) 101
Kondo, A.E., A. Salam and W.J. Meath, On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms 243 (1999) 215
Korol'kova, N.V., V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich, Internal heavy-atom effect on spin–orbit and vibronic–spin–orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives 248 (1999) 233
Korth, O., A. Wiehe, H. Kurreck and B. Röder, Photoinduced intramolecular electron transfer in covalently linked porphyrin–triptycene–(bis)quinone diads and triads 246 (1999) 363
Kortlüke, O. and W. von Niessen, Influence of hollow site adsorption in a model for the catalytic $CO + O_2$ and $CO + NO$ reaction 247 (1999) 299
Kosmas, A.M., see Papayannis, D. 243 (1999) 249
Kossanyi, J., see Ronfard-Haret, J.C. 241 (1999) 339
Kosugi, N., see Jürgensen, A. 247 (1999) 445
Koudriavtsev, A.B., A modified Bragg and Williams approximation of the two-step spin crossover 241 (1999) 109
Kouzov, A.P. and J.V. Buldyreva, Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium 243 (1999) 137
Kowalczyk, P., see Rousseau, S. 247 (1999) 193
Kowert, B.A., A.M. Hughes, N.C. Dang, M.B. Martin, G.H. Cheung, H.D. Tran and J.P. Reed, Translational diffusion of transition metal complexes 247 (1999) 435
Kownacki, K., see Wortmann, R. 243 (1999) 295
Kozlovsky, M.V., see Blinov, L.M. 245 (1999) 473
Krämer, P., see Wortmann, R. 245 (1999) 107
Krasnikov, S.A., see Vinogradov, A.S. 249 (1999) 249
Krasnikov, V.V., see van Hutten, P.F. 241 (1999) 139
Kraus, D., R.J. Saykally and V.E. Bondybey, Cavity ringdown spectroscopy search for transition metal dimers 247 (1999) 431
Krausz, E., see Hurst, J.K. 246 (1999) 229
Krishnamoorthy, G. and S.K. Dogra, Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH 243 (1999) 45
Krissinel, E.B., O.A. Igoshin and A.I. Burshtein, Integral, unified and Markovian theories of biexcitonic photoionization 247 (1999) 261
Kryschi, C., see Ern, J. 246 (1999) 115
Kuchta, B., M. Descamps and J.F. Willart, Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal 243 (1999) 169

Kuebler, S.M., see Thorne, J.R.G. 248 (1999) 181
Kulzer, F., F. Koberling, Th. Christ, A. Mews and Th. Basché, Terrylene in *p*-terphenyl: single-molecule experiments at room temperature 247 (1999) 23
Kung, C.-Y., see Fukui, K. 244 (1999) 339
Kuo, Y.-C. and J.-P. Hsu, Dynamic stability ratio of a colloidal dispersion 250 (1999) 285
Kurosaki, Y., see Sato, K. 242 (1999) 1
Kurreck, H., see Korth, O. 246 (1999) 363
Kustova, E.V., E.A. Nagnibeda and A.H. Chauvin, State-to-state nonequilibrium reaction rates 248 (1999) 221
Kuzyk, M.G., D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon, Characterization of single-mode polymer optical fiber and electrooptic fiber devices 245 (1999) 327
Kuzyk, M.G., D.W. Garvey, S.R. Vigil and D.J. Welker, All-optical devices in polymer optical fiber 245 (1999) 533

Lacey, A.R., see Hurst, J.K. 246 (1999) 229
Lacombe, S., M. Loudet, H. Cardy and A. Dargelos, The thiyl peroxyl radical: formation and UV spectrum. A multiconfigurational ab initio study 244 (1999) 175
Lal, M., see Winiarz, J.G. 245 (1999) 417
Lamperski, J., see Komorowska, M. 244 (1999) 101
Lang, G., E. Paladino and U. Weiss, Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour 244 (1999) 111
Langhals, H., see Schmälzlin, E. 245 (1999) 73
Larkin, J.M., W.R. Donaldson, T.H. Foster and R.S. Knox, Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- +1064-nm laser excitation 244 (1999) 319
Larsen, R.J., see Strohkendl, F.P. 245 (1999) 285
Latajka, Z., see Lundell, J. 247 (1999) 215
Latajka, Z., see Abkowicz-Bieńko, A.J. 250 (1999) 123
Latychevskaia, T.Yu., see Sepioł, J. 247 (1999) 35
Lau, W.L., see Jia, Y. 247 (1999) 69
Launay, J.-P., see Karafiloglou, P. 250 (1999) 1
Lauterbach, C., see Engemann, C. 243 (1999) 61
Lazzeretti, P., M.C. Caputo and M.B. Ferraro, Thomas–Reiche–Kuhn populations in alkanes 246 (1999) 75
Leach, S., see Field, T.A. 250 (1999) 81
Lebus, S., see Alain, V. 245 (1999) 51
Lebus, S., see Wortmann, R. 243 (1999) 295
Lecoutre, M., see Herman, M. 246 (1999) 433
Ledoux, I., I.D.W. Samuel, J. Zyss, S.N. Yaliraki, F.J. Schattenmann, R.R. Schrock and R.J. Silbey, Third-order microscopic nonlinearities of very long chain polyenes: saturation phenomena and conformational effects 245 (1999) 1
Ledoux, I., see Rojo, G. 245 (1999) 27
Ledoux, I., see Robinson, B.H. 245 (1999) 35
Lee, M., see Robinson, B.H. 245 (1999) 35
Lee, S.-S., see Steier, W.H. 245 (1999) 487
Lehnert, W., E. Leiva, W. Schmickler and J.W. Schultze, A simple method for calculating the corrugation of metal surfaces 247 (1999) 207

Leininger, T., see Vallet, V. 244 (1999) 185
Leininger, T., see Maron, L. 244 (1999) 195
Leiva, E., see Lehnert, W. 247 (1999) 207
Lemaire, J.-L., see Field, T.A. 250 (1999) 81
Lemaistre, J.P., Localization length and intraband scattering of excitons in linear aggregates 246 (1999) 283
Lemes, N.H.T., J.P. Braga and J.C. Belchior, Classical trajectory study on $Ar - Cl_2$ van der Waals system using a recent potential 241 (1999) 305
Lemieux, R.P., see Saad, B. 245 (1999) 395
Lemus, R. and A. Frank, A local mode description of anharmonic vibrational excitations in linear molecules 242 (1999) 25
Lenzi, M., see Di Stefano, G. 246 (1999) 267
Létard, J.-F., see Daubric, H. 244 (1999) 75
Lewis, A., A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres, Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans* 245 (1999) 133
Lex, J., see Galasso, V. 242 (1999) 203
Leygue, N., see Fillaux, F. 244 (1999) 387
Li, R., see McGivern, W.S. 249 (1999) 237
Li, X.-Y., X.-S. Tang and F.-C. He, Electron transfer in poly(*p*-phenylene) oligomers: effect of external electric field and application of Koopmans theorem 248 (1999) 137
Liang, J., see Ha, T. 247 (1999) 107
Liang, W., see Su, Z. 247 (1999) 185
Lianos, L., see Gracias, D.H. 245 (1999) 277
Lim, A.R., J.H. Kim and B.M. Novak, Rigidity of the backbone for poly(bis(4-butoxycarbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ^{13}C $T_{1\rho}$ measurements 246 (1999) 373
Lim, J.H., O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky, Polymethine and squarylium molecules with large excited-state absorption 245 (1999) 79
Lima, M.A.P., see Amorim, J. 246 (1999) 275
Lin, C.-L., M.-D. Su and S.-Y. Chu, Theoretical studies of dissociation pathways on the ground state potential energy surface for HXGeO (X = H, F, Cl, and Br) 249 (1999) 145
Lin, S.H., see Cheche, T. 243 (1999) 123
Lino, J.L.S., see Amorim, J. 246 (1999) 275
Liou, H.T. and K.L. Huang, Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2 246 (1999) 391
Lipiński, J. and W. Bartkowiak, Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations 245 (1999) 263
Lledós, A., see Gelabert, R. 241 (1999) 155
Lluch, J.M., see Gelabert, R. 241 (1999) 155
Lluch, J.M., see Paz, J.J. 246 (1999) 103
Loew, L., see Lewis, A. 245 (1999) 133
López-Cornejo, P., see Sánchez, F. 243 (1999) 159
López-Cornejo, P., see López-López, M. 250 (1999) 321
López, J.C., see de Luis, A. 248 (1999) 247
López-López, M., P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez, Estimation of electron transfer rate constants by static (optical and electrochemical) measurements 250 (1999) 321

López-Tocón, I., J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci, The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state 249 (1999) 113
Lorenz, M. and V.E. Bondybey, Isotopically resolved spectra of tungsten oxides in solid neon 241 (1999) 127
Lossau, H., see Ogrodnik, A. 244 (1999) 461
Lou, N.-Q., see Wang, G.-J. 241 (1999) 213
Lou, N.-Q., see Zhu, R.-S. 248 (1999) 285
Lou, N.-Q., see Cong, S.-L. 249 (1999) 183
Loudet, M., see Lacombe, S. 244 (1999) 175
Lounis, B., see Tamarat, Ph. 245 (1999) 121
Lounis, B., see Boiron, A.-M. 247 (1999) 119
Loureiro, J., see Amorim, J. 246 (1999) 275
Lozovoy, V.V., O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii, Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment 243 (1999) 97
Lu, H. and K. Schulten, Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations 247 (1999) 141
Lu, H.S.M., see Jia, Y. 247 (1999) 69
Lukaszuk, K., see Alain, V. 245 (1999) 51
Lukaszuk, K., see Wortmann, R. 245 (1999) 107
Lukzen, N.N., V.A. Morozov and R.Z. Sagdeev, Radical polarization in double switching of external magnetic field 241 (1999) 193
Lukzen, N.N., see Anishchik, S.V. 242 (1999) 319
Lundell, J., S. Berski and Z. Latajka, Density functional study of the $Xe_2H_3^+$ cation 247 (1999) 215
Lundqvist, A., see Chiu, D.T. 247 (1999) 133
Luo, M. and M. Jungen, The H_3O Rydberg radical 241 (1999) 297

Maali, A., see Tamarat, Ph. 245 (1999) 121
Maclagan, R.G.A.R., see Thompson, A.E. 248 (1999) 127
Mager, L., see Fort, A. 243 (1999) 115
Magnier, S., S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon, Potential energy curves of 58 states of Li_2^+ 246 (1999) 57
Magnier, S., see Rousseau, S. 247 (1999) 193
Mais, S., T. Basché, G. Müller, K. Müllen and C. Bräuchle, Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids 247 (1999) 41
Makarov, V.I., R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko, Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state 242 (1999) 37
Malik, P., see Habdas, P. 241 (1999) 351
Malyshev, V.A., see Domínguez-Adame, F. 244 (1999) 351
Manceron, L. and M.E. Alikhani, Infrared spectrum and structure of $Ni(CO)_2$. A matrix isolation and DFT study 244 (1999) 215
Manceron, L., see Tremblay, B. 242 (1999) 235
Manceron, L., see Tremblay, B. 250 (1999) 187
Mandal, D., see Pal, S.K. 249 (1999) 63
Manetta, S., see Bosshard, C. 245 (1999) 377
Marder, S.R., see Hendrickx, E. 245 (1999) 407

Marković, N., P.U. Andersson, M.B. Någård and J.B.C. Pettersson, Scattering of water from graphite: simulations and experiments 247 (1999) 413
Marković, N., see Svedung, H. 248 (1999) 195
Maron, L. and C. Teichteil, Erratum to "On the accuracy of averaged relativistic shape-consistent pseudopotentials" [Chem. Phys. 237 (1998) 105–122] 242 (1999) 293
Maron, L., T. Leininger, B. Schimmelpfennig, V. Vallet, J.-L. Heully, C. Teichteil, O. Gropen and U. Wahlgren, Investigation of the low-lying excited states of PuO_2^{2+} 244 (1999) 195
Maron, L., see Vallet, V. 244 (1999) 185
Marowsky, G., see Hildebrandt, R. 245 (1999) 341
Marri, E., A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini, Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile 243 (1999) 323
Martin, H.-D., see Ern, J. 246 (1999) 115
Martin, M.B., see Kowert, B.A. 247 (1999) 435
Mase, K., see Nagaoka, S. 249 (1999) 15
Masse, R., J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne, Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics 245 (1999) 365
Matschiner, R., see Wortmann, R. 245 (1999) 107
Matsubara, T., see Sato, K. 242 (1999) 1
Matsuo, A., K. Furuya and T. Ogawa, Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements 242 (1999) 91
Mavri, J., see Tanizaki, S. 246 (1999) 37
May, V., see Scheller, R. 264 (1999) 191
Mazzulla, A., see Simoni, F. 245 (1999) 429
McGivern, W.S., R. Li, P. Zou, T. Nguyen and S.W. North, The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy 249 (1999) 237
Meath, W.J., see Kondo, A.E. 243 (1999) 215
Mebel, A.M., see Hwang, D.-Y. 244 (1999) 143
Meerholz, K., see Schmälzlin, E. 245 (1999) 73
Melissas, V.S., see Papayannis, D. 243 (1999) 249
Menu, S., see Fillaux, F. 242 (1999) 273
Mets, Ü., see Widengren, J. 250 (1999) 171
Mews, A., see Kulzer, F. 247 (1999) 23
Meyer, H., see Zimmer, K. 248 (1999) 263
Mezei, R., K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl, Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium 246 (1999) 295
Mhiri, T., see Bouattour, S. 248 (1999) 117
Michalska, D., see Abkowicz-Bieńko, A.J. 250 (1999) 123
Michel-Beyerle, M.E., see Ogrodnik, A. 244 (1999) 461
Michelotti, F., G. Nicolao, F. Tesi and M. Bertolotti, On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique 245 (1999) 311
Michl, J., see Crespo, R. 244 (1999) 203
Miller, J.R., see Szarka, A.Z. 246 (1999) 147
Minami, N., see Petelenz, P. 243 (1999) 149
Mishra, A.K., see Hariharan, C. 248 (1999) 41
Misiaszek, T., see Wójcik, G. 249 (1999) 201

Mitra, S. and N. Tamai, A combined experimental and theoretical study on the photochromism of aromatic anils 246 (1999) 463
Moc, J., Theoretical study of the CH_2Br, $CHBr_2$ and CBr_3 radicals 247 (1999) 365
Modelli, A., F. Scagnolari and G. Distefano, Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde:electron affinities and anion yield upon electron impact 250 (1999) 311
Modelli, A., see Galasso, V. 242 (1999) 203
Molin, Yu.N., see Anishchik, S.V. 242 (1999) 319
Möller, S. and G. Weiser, Photoconductivity of polydiacetylene chains in polymer and monomer single crystals 246 (1999) 483
Molodtsov, S.L., see Vinogradov, A.S. 249 (1999) 249
Morales, R.G.E., see González, C. 250 (1999) 279
Moreno, M., see Gelabert, R. 241 (1999) 155
Moreno, M., see Paz, J.J. 246 (1999) 103
Morgner, H., see Dietter, J. 241 (1999) 55
Morozov, V.A., see Lukzen, N.N. 241 (1999) 193
Morresi, A., see Marri, E. 243 (1999) 323
Moser, S., see Kennedy, S. 244 (1999) 449
Mosquera, R.A., see Graña, A.M. 243 (1999) 17
Msezane, A.Z., see Ozimba, P.A. 246 (1999) 87
Mukamel, S., see Tretiak, S. 245 (1999) 145
Mukamel, S., see Ern, J. 246 (1999) 115
Mukherjee, T., see Hariharan, C. 248 (1999) 41
Mukoyama, T., see Suzuki, C. 241 (1999) 17
Mukoyama, T., see Suzuki, C. 247 (1999) 453
Müllen, K., see Mais, S. 247 (1999) 41
Müller, G., see Mais, S. 247 (1999) 41
Müller, J., O.V. Khodykin, D. Haarer and B.M. Kharlamov, Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit 243 (1999) 201
Muller, J., see Fort, A. 243 (1999) 115
Munn, R.W., J.F. Kelly and F.M. Aicken, Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex 245 (1999) 227
Muriel, F., see Sánchez, F. 243 (1999) 159
Musin, R.N., see Makarov, V.I. 242 (1999) 37

Nagaoka, S., K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima, Site-specific phenomena in Si:2p core-level photoionization of $X_3Si(CH_2)_nSi(CH_3)_3$ (X = F or Cl, $n = 0$–2) condensed on a Si(111) surface 249 (1999) 15
Någård, M.B., see Marković, N. 247 (1999) 413
Nagashima, U., see Nagaoka, S. 249 (1999) 15
Nagasono, M., see Nagaoka, S. 249 (1999) 15
Nagata, T., see Kanda, K. 243 (1999) 89
Nagnibeda, E.A., see Kustova, E.V. 248 (1999) 221
Nakajima, T. and H. Nakatsuji, Energy gradient method for the ground, excited, ionized, and electron-attached states calculated by the SAC (symmetry-adapted cluster)/SAC–CI (configuration interaction) method 242 (1999) 177
Nakatsuji, H., see Nakajima, T. 242 (1999) 177

Nalwa, H.S., M. Hanack, G. Pawlowski and M.K. Engel, Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π-conjugation length on third-order optical nonlinearity of two-dimensional molecules 245 (1999) 17
Nelander, B., see Engdahl, A. 249 (1999) 215
Nemukhin, A.V., see Firsov, D.A. 244 (1999) 67
Nešpůrek, S., see Kadashchuk, A. 247 (1999) 307
Neumann, M.A., see Johnson, M.R. 244 (1999) 49
Nguyen, T., see McGivern, W.S. 249 (1999) 237
Nicolao, G., see Michelotti, F. 245 (1999) 311
Nicoud, J.-F., see Masse, R. 245 (1999) 365
Noid, D.W., see Fukui, K. 244 (1999) 339
Nordholm, S., see Chiu, D.T. 247 (1999) 133
Nordholm, S., see Svedung, H. 248 (1999) 195
North, S.W., see McGivern, W.S. 249 (1999) 237
Nota, M., see Inard, D. 243 (1999) 305
Novak, B.M., see Lim, A.R. 246 (1999) 373
Nover, J.N. and H.-H. Schmidtke, Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands 241 (1999) 179
Nowacki, J., see Borowicz, P. 244 (1999) 251
Nowacki, J., see Borowicz, P. 249 (1999) 49

Ogawa, T., see Matsuo, A. 242 (1999) 91
Ogawa, T., see Tsukanova, V. 250 (1999) 207
Ogrodnik, A., G. Hartwich, H. Lossau and M.E. Michel-Beyerle, Dispersive charge separation and conformational cooling of $P^+H_A^-$ in reaction centers of *Rb. sphaeroides* R26: a spontaneous emission study 244 (1999) 461
Ohmori, K., see Shimizu, Y. 244 (1999) 439
Ohshita, J., see Nagaoka, S. 249 (1999) 15
Ohta, K., T.J. Kang, K. Tominaga and K. Yoshihara, Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study 242 (1999) 103
Okada, K., see Shimizu, Y. 244 (1999) 439
Okada, T., M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner, Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ) 241 (1999) 327
Okunishi, M., see Shimizu, Y. 244 (1999) 439
Oliver, A.M., see Wegner, M. 242 (1999) 227
Onuchic, J.N., J. Wang and P.G. Wolynes, Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions 247 (1999) 175
Opallo, M., see Borowicz, P. 249 (1999) 49
Oppel, M. and G.K. Paramonov, Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of $HONO_2$ in the ground electronic state 250 (1999) 131
Ornellas, F.R., see Borin, A.C. 247 (1999) 351
Orrit, M., see Tamarat, Ph. 245 (1999) 121
Orrit, M., see Boiron, A.-M. 247 (1999) 119
Orwar, O., see Chiu, D.T. 247 (1999) 133

Ostapenko, N., see Kadashchuk, A. 247 (1999) 307
Otero, J.C., see López-Tocón, I. 249 (1999) 113
Otomo, J. and S. Koda, UV absorption shifts of benzenes in supercritical carbon dioxide 242 (1999) 241
Ozimba, P.A. and A.Z. Msezane, Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules 246 (1999) 87

Paddon-Row, M.N., see Wegner, M. 242 (1999) 227
Pagliusi, P., see Simoni, F. 245 (1999) 429
Painelli, A., Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes 245 (1999) 185
Pająk, Z., see Wójcik, G. 249 (1999) 201
Pal, S.K., D. Mandal, D. Sukul and K. Bhattacharyya, Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles 249 (1999) 63
Paladino, E., see Lang, G. 244 (1999) 111
Paliani, G., see Marri, E. 243 (1999) 323
Palmer, M.H., I.C. Walker and M.F. Guest, The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations 241 (1999) 275
Palmer, M.H., I.C. Walker and M.F. Guest, Erratum to "The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations". [Chemical Physics 241 (1999) 275–296] 247 (1999) 349
Palmer, M.H., C.C. Ballard and I.C. Walker, The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations 249 (1999) 129
Palomar, J., J.L.G. De Paz and J. Catalán, Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds 246 (1999) 167
Paluch, M., see Habdas, P. 241 (1999) 351
Pan, F., see Bosshard, C. 245 (1999) 377
Panas, I., see Johnson, J.R.T. 248 (1999) 161
Panas, I., see Johnson, J.R.T. 249 (1999) 273
Papayannis, D., A.M. Kosmas and V.S. Melissas, Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction 243 (1999) 249
Paramonov, G.K., see Oppel, M. 250 (1999) 131
Pardi, L., see Gillon, B. 250 (1999) 23
Paris, O., see Mezei, R. 246 (1999) 295
Parker, J.E., see Rennie, E.E. 250 (1999) 217
Parker, S.W., see Fillaux, F. 242 (1999) 273
Partridge, H., see Tanizaki, S. 246 (1999) 37
Pascal Jr., R.A., see Hennessy, M.H. 245 (1999) 199
Paulus, W., see Fillaux, F. 244 (1999) 387
Pawlowski, G., see Nalwa, H.S. 245 (1999) 17
Paz, J.J., M. Moreno and J.M. Lluch, Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study 246 (1999) 103
Pecul, M. and J. Sadlej, The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene 248 (1999) 27
Peleg, G., see Lewis, A. 245 (1999) 133
Penzkofer, A., see Holzer, W. 246 (1999) 445

Penzkofer, A., see Holzer, W. 248 (1999) 273
Perchard, J.P., see Asselin, P. 249 (1999) 73
Pérez-Tejeda, P., see López-López, M. 250 (1999) 321
Persico, M., see Cattaneo, P. 246 (1999) 315
Personov, R.I., see Romanovskii, Yu.V. 249 (1999) 29
Persoons, A., see Robinson, B.H. 245 (1999) 35
Pertsch, T., see Gabler, Th. 245 (1999) 507
Petelenz, P., M. Andrzejak, S. Kazaoui and N. Minami, Temperature dependence of fullerene electroabsorption spectra – model calculations 243 (1999) 149
Pettersson, J.B.C., see Marković, N. 247 (1999) 413
Pettersson, M., see Johansson, M. 244 (1999) 25
Peyerimhoff, S.D., see Sengupta, D. 248 (1999) 147
Peyerimhoff, S.D., see Hanrath, M. 249 (1999) 121
Peyghambarian, N., see Hendrickx, E. 245 (1999) 407
Picaud, S., see Toubin, C. 244 (1999) 227
Pichlmaier, M., see Holzer, W. 246 (1999) 445
Pichlmaier, M., see Holzer, W. 248 (1999) 273
Pietraperzia, G., see López-Tocón, I. 249 (1999) 113
Pinchemel, B., see Focsa, C. 247 (1999) 395
Pinheiro, J.C., see de Castro, E.V.R. 243 (1999) 1
Pino, G.A., see Caballero, N.B. 246 (1999) 157
Plonka, A., see Vlad, M.O. 243 (1999) 273
Popa-Nita, V., Magnetic-field-induced isotropic-nematic phase transition in porous media 246 (1999) 247
Potovoi, V.V., see Ivanov, A.I. 247 (1999) 245
Prager, M., see Johnson, M.R. 244 (1999) 49
Prasad, P.N., see Winiarz, J.G. 245 (1999) 417
Pravilov, A.M., see Akopyan, M.E. 242 (1999) 253
Pravilov, A.M., see Akopyan, M.E. 242 (1999) 263
Preobrajenski, A.B., see Vinogradov, A.S. 249 (1999) 249
Prokhorenko, V.I., see Chibisov, A.K. 250 (1999) 47
Przhonska, O.V., see Lim, J.H. 245 (1999) 79

Qin, Q., see Chen, M. 242 (1999) 81
Qin, Q.-z., see Zhang, L. 249 (1999) 161

Räsänen, M., see Johansson, M. 244 (1999) 25
Rath, M.C., see Hariharan, C. 248 (1999) 41
Rechthaler, K., see Okada, T. 241 (1999) 327
Rédoglia, S., see Alain, V. 245 (1999) 51
Reed, J.P., see Kowert, B.A. 247 (1999) 435
Reininger, R., see Evans, C.M. 241 (1999) 239
Reis, H., see Wortmann, R. 243 (1999) 295
Ren, A., see Robinson, B.H. 245 (1999) 35
Ren, A.S., see Steier, W.H. 245 (1999) 487
Renn, A., see Sepioł, J. 247 (1999) 35
Rennie, E.E., C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw, A photoabsorption and mass spectrometry study of pyrrole 250 (1999) 217
Rettig, W., see Okada, T. 241 (1999) 327

Ricci, A., see Di Stefano, G. 246 (1999) 267
Rigler, R., see Edman, L. 247 (1999) 11
Rigler, R., see Wennmalm, S. 247 (1999) 61
Rigler, R., see Widengren, J. 249 (1999) 259
Rigler, R., see Widengren, J. 250 (1999) 171
Ríos, M.A., see Hermida Ramón, J.M. 250 (1999) 155
Rist, C., see Faure, A. 241 (1999) 29
Robinson, B.H., L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen, The molecular and supramolecular engineering of polymeric electro-optic materials 245 (1999) 35
Rocha, A.B. and C.E. Bielschowsky, Inner-shell excitations of water molecule 243 (1999) 9
Rode, B.M., see Shilov, I.Yu. 241 (1999) 75
Röder, B., see Korth, O. 246 (1999) 363
Rodríguez, A., see Sánchez, F. 243 (1999) 159
Rodríguez, A., see Domínguez-Adame, F. 244 (1999) 351
Rohonczy, J., see Mezei, R. 246 (1999) 295
Rojo, G., G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López, Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics 245 (1999) 27
Rolke, J., Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson, Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory 244 (1999) 1
Romanovskii, Yu.V., A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler, Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene) 249 (1999) 29
Romero, M., see Zhang, L. 245 (1999) 99
Ronfard-Haret, J.C. and J. Kossanyi, Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+}- and Li^{+}-doped ZnO ceramics. Influence of the sintering temperature 241 (1999) 339
Ross, J., see Vlad, M.O. 243 (1999) 273
Ross, T.S., see Lim, J.H. 245 (1999) 79
Roth, W., D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt, The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration 248 (1999) 17
Roth, W., see Imhof, P. 242 (1999) 141
Roth, W., see Imhof, P. 242 (1999) 153
Rothman, Z., see Lewis, A. 245 (1999) 133
Rotinov, A., G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont, A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase 246 (1999) 1
Rotkiewicz, K., see Okada, T. 241 (1999) 327
Rousseau, S., A.R. Allouche, M. Aubert-Frécon, S. Magnier, P. Kowalczyk and W. Jastrzebski, Theoretical study of the electronic structure of KLi and comparison with experiments 247 (1999) 193
Rousseau, S., see Magnier, S. 246 (1999) 57
Rumi, M. and G. Zerbi, Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes 242 (1999) 123
Runge, K., see Fukui, K. 244 (1999) 339

Ryttsén, F., see Chiu, D.T. 247 (1999) 133
Rzoska, S.J., see Habdas, P. 241 (1999) 351

Saad, B., T.V. Galstyan, L. Dinescu and R.P. Lemieux, Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal 245 (1999) 395
Sadlej, J., see Pecul, M. 248 (1999) 27
Safont, V.S., see Rotinov, A. 246 (1999) 1
Sagdeev, R.Z., see Lukzen, N.N. 241 (1999) 193
Sakimoto, K., A semiclassical study of vibrational and rotational transition in $He + H_2$ at suprathermal energies 249 (1999) 1
Salam, A., see Kondo, A.E. 243 (1999) 215
Samuel, I.D.W., see Ledoux, I. 245 (1999) 1
Sánchez, F., A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo, Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy 243 (1999) 159
Sánchez, F., see López-López, M. 250 (1999) 321
Šanda, F., see Bok, J. 244 (1999) 89
Sarkisov, O.M., see Lozovoy, V.V. 243 (1999) 97
Sato, K., S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi, Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S 242 (1999) 1
Sato, Y., see Shimizu, Y. 244 (1999) 439
Saykally, R.J., see Kraus, D. 247 (1999) 431
Scagnolari, F., see Modelli, A. 250 (1999) 311
Schattenmann, F.J., see Ledoux, I. 245 (1999) 1
Scheiner, S., see Forés, M. 246 (1999) 65
Scheller, R. and V. May, Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a 264 (1999) 191
Schimmelpfennig, B., see Vallet, V. 244 (1999) 185
Schimmelpfennig, B., see Maron, L. 244 (1999) 195
Schmälzlin, E., U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz, Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching 245 (1999) 73
Schmickler, W., see Lehnert, W. 247 (1999) 207
Schmid, D., see Ern, J. 246 (1999) 115
Schmidt, J., see van Oijen, A.M. 247 (1999) 53
Schmidtke, H.-H., see Nover, J.N. 241 (1999) 179
Schmitt, M., see Roth, W. 248 (1999) 17
Schrock, R.R., see Ledoux, I. 245 (1999) 1
Schulten, K., see Lu, H. 247 (1999) 141
Schultz, P.G., see Dahan, M. 247 (1999) 85
Schultz, P.G., see Ha, T. 247 (1999) 107
Schultze, J.W., see Lehnert, W. 247 (1999) 207
Schweig, A., see Zimmer, K. 248 (1999) 263
Schweitzer, B., see Romanovskii, Yu.V. 249 (1999) 29
Schwoerer, M., see Hildebrandt, R. 245 (1999) 341
Scott, K., see Donovan, K.J. 250 (1999) 61
Scott, K., see Spagnoli, S. 250 (1999) 71

Seccombe, D.P., G.K. Jarvis, B.O. Fisher and R.P. Tuckett, Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron–photoion coincidence spectroscopy 250 (1999) 335
Senapati, S. and A. Chandra, Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study 242 (1999) 353
Sengupta, D., R. Sumathi and S.D. Peyerimhoff, Unimolecular decomposition of the isomers of $[HNO_2]^+$ and $[HNO_2]^-$ systems: a DFT study 248 (1999) 147
Sepioł, J., A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild, Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices 247 (1999) 35
Serov, S.A., see Korol'kova, N.V. 248 (1999) 233
Shafer-Ray, N.E., see Kennedy, S. 244 (1999) 449
Shaw, D.A., see Holland, D.M.P. 243 (1999) 333
Shaw, D.A., see Rennie, E.E. 250 (1999) 217
Shebolaev, I.V., see Anishchik, S.V. 242 (1999) 319
Shen, Y.R., see Gracias, D.H. 245 (1999) 277
Shepherd, E.E.A., see Banfi, G.P. 245 (1999) 345
Sheres, M., see Lewis, A. 245 (1999) 133
Sherwood, J.N., see Banfi, G.P. 245 (1999) 345
Shi, Z., see Rolke, J. 244 (1999) 1
Shih, M.-Y., see Khoo, I.C. 245 (1999) 517
Shilov, I.Yu., B.M. Rode and V.A. Durov, Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation 241 (1999) 75
Shimizu, Y., K. Ueda, H. Chiba, M. Okunishi, K. Ohmori, Y. Sato, I.H. Suzuki, T. Ibuki and K. Okada, Auger electron spectra of CF_3CN, CF_3Cl, CF_2Cl_2 and $CFCl_3$ 244 (1999) 439
Shimoi, Y. and B.A. Friedman, A tight-binding model of phenylene molecules with *meta*-connections – implications for phenylacetylene dendrimers 250 (1999) 13
Shirota, H. and K. Horie, Deuterium isotope effect on swelling process in aqueous polymer gels 242 (1999) 115
Shulin, Y., see ZhaoXu, C. 250 (1999) 243
Silbey, R.J., see Ledoux, I. 245 (1999) 1
Silly, G., see Bureau, B. 249 (1999) 89
Simoni, F., G. Cipparrone, A. Mazzulla and P. Pagliusi, Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording 245 (1999) 429
Sinkó, K., see Mezei, R. 246 (1999) 295
Sipe, J.E., see Hildebrandt, R. 245 (1999) 341
Skorokhodov, V., see Inard, D. 243 (1999) 305
Slominsky, Y.L., see Lim, J.H. 245 (1999) 79
Slyadneva, O., see Tsukanova, V. 250 (1999) 207
Sohlberg, K., Mechanism of efficient V–V in collisions of $N_2^+(v > 0)$ with N_2 246 (1999) 307
Sohma, S., H. Takahashi, T. Taniuchi and H. Ito, Organic nonlinear optical crystal DAST growth and its device applications 245 (1999) 359
Somerton, M., see Spagnoli, S. 250 (1999) 71
Somorjai, G.A., see Gracias, D.H. 245 (1999) 277
Soos, Z.G., see Hennessy, M.H. 245 (1999) 199
Soulard, P., see Asselin, P. 249 (1999) 73
Spagnoli, S.. K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson, Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU 250 (1999) 71

Spagnoli, S., see Donovan, K.J. 247 (1999) 293
Spagnoli, S., see Donovan, K.J. 250 (1999) 61
Spangenberg, D., see Imhof, P. 242 (1999) 141
Spangenberg, D., see Imhof, P. 242 (1999) 153
Spangenberg, D., see Roth, W. 248 (1999) 17
Spreiter, R., see Bosshard, C. 245 (1999) 377
Springborg, M., Dimensionality effects on the electronic and structural properties of PtS_2 chains 246 (1999) 347
Starukhin, A., see Sepioł, J. 247 (1999) 35
Staub, K., see Hendrickx, E. 245 (1999) 407
Steier, W.H., A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap, Polymer electro-optic devices for integrated optics 245 (1999) 487
Steier, W.H., see Robinson, B.H. 245 (1999) 35
Stener, M., see Fronzoni, G. 246 (1999) 127
Stepanov, M.B., see Akopyan, M.E. 242 (1999) 253
Stepanov, M.B., see Akopyan, M.E. 242 (1999) 263
Stockmann, R., see Gabler, Th. 245 (1999) 507
Stoll, H., see Czuchaj, E. 248 (1999) 1
Strohkendl, F.P., T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi, Nonlinear optical spectra of C_{70} 245 (1999) 285
Strömberg, A., see Chiu, D.T. 247 (1999) 133
Su, M.-D., see Lin, C.-L. 249 (1999) 145
Su, Z., W. Liang and G. Chen, Ground-state reduced density matrices, effective Hamiltonians, and optical properties of Schiff bases of retinal 247 (1999) 185
Subrahmanyam, V.S., M.F. Ferreira Marques and G. Duplâtre, Effect of water-soluble electron scavengers on positronium formation in AOT/water/isooctane microemulsions 247 (1999) 333
Sugiura, M., see Sato, K. 242 (1999) 1
Suhai, S., see Bohr, H.G. 246 (1999) 13
Sukhov, A.V., see Caputo, R. 245 (1999) 463
Sukul, D., see Pal, S.K. 249 (1999) 63
Sumathi, R., see Sengupta, D. 248 (1999) 147
Sumpter, B.G., see Fukui, K. 244 (1999) 339
Suzuki, C., J. Kawai, J.-y. Tanizawa, H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama, Local spin moment of $LaCoO_3$ probed by a core hole 241 (1999) 17
Suzuki, C., J. Kawai, H. Adachi and T. Mukoyama, Electronic structures of 3d transition metal (Ti–Cu) oxides probed by a core hole 247 (1999) 453
Suzuki, I.H., see Shimizu, Y. 244 (1999) 439
Svedung, H., N. Marković and S. Nordholm, Collisional deactivation of CF_3I – a molecular dynamics simulation 248 (1999) 195
Syutkin, V.M., Target problem in a lattice with randomly removed bonds 248 (1999) 213
Szargan, R., see Vinogradov, A.S. 249 (1999) 249
Szarka, A.Z., L.A. Curtiss and J.R. Miller, Calculation of temporary anion states using density functional theory 246 (1999) 147
Szorek, R., A dynamic model for linear locally stiff polymers in dilute solutions 241 (1999) 83
Szorek, R., Dynamics of linear polymers in dilute solutions 246 (1999) 335
Szostak, M.M., see Wójcik, G. 249 (1999) 201

Tabiryan, N.V., see Caputo, R. 245 (1999) 463
Tabisz, G.C., see El-Sheikh, S.M. 247 (1999) 407
Tachikawa, H., Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study 244 (1999) 263
Takahashi, H., see Sohma, S. 245 (1999) 359
Takano, M., see Suzuki, C. 241 (1999) 17
Takayanagi, T., see Sato, K. 242 (1999) 1
Takeshita, K., A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra 250 (1999) 113
Talaga, D.S., see Jia, Y. 247 (1999) 69
Tamai, N., see Mitra, S. 246 (1999) 463
Tamarat, Ph., F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit, Non-linear optical response of single molecules 245 (1999) 121
Tamarat, Ph., see Boiron, A.-M. 247 (1999) 119
Tanaka, S., see Nagaoka, S. 249 (1999) 15
Tang, X.-S., see Li, X.-Y. 248 (1999) 137
Tani, A., see Cattaneo, P. 246 (1999) 315
Tanimura, Y., see Gangopadhyay, G. 242 (1999) 367
Taniuchi, T., see Sohma, S. 245 (1999) 359
Tanizaki, S., J. Mavri, H. Partridge and P.C. Jordan, Unusual distributed charge models of water's electric potential 246 (1999) 37
Tanizawa, J.-y., see Suzuki, C. 241 (1999) 17
Tanner, P.A., see Chua, M. 250 (1999) 267
Taylor, P.N., see Thorne, J.R.G. 248 (1999) 181
Teichteil, C., see Maron, L. 242 (1999) 293
Teichteil, C., see Vallet, V. 244 (1999) 185
Teichteil, C., see Maron, L. 244 (1999) 195
Teramae, H., see Crespo, R. 244 (1999) 203
Terry, B., see Widengren, J. 249 (1999) 259
Terstegen, F., see Falzewski, S. 243 (1999) 179
Tesi, F., see Michelotti, F. 245 (1999) 311
Thomas, C., see Daubric, H. 244 (1999) 75
Thompson, A.E., R.G.A.R. Maclagan and P.W. Harland, The ab-initio calculation of the gas phase ion mobility of Na^+ in N_2 248 (1999) 127
Thorne, J.R.G., S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson, Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers 248 (1999) 181
Tian, S.X., C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu, How many uracil tautomers there are? Density functional studies of stability ordering of tautomers 242 (1999) 217
Tiemann, E., see Haunert, G. 246 (1999) 381
Ting, A.Y., see Ha, T. 247 (1999) 107
Todorova, G., see Robinson, B.H. 245 (1999) 35
Todorova, G., see Steier, W.H. 245 (1999) 487
Tokiwa, H., see Arulmozhiraja, S. 250 (1999) 237
Tominaga, K., see Ohta, K. 242 (1999) 103
Tomkinson, J., see Fillaux, F. 242 (1999) 273
Tomkinson, J., see Fillaux, F. 244 (1999) 387
Torres, T., see Rojo, G. 245 (1999) 27

Tortschanoff, A., see Bok, J. 244 (1999) 89
Tostenrude, J., see Kuzyk, M.G. 245 (1999) 327
Toubin, C., S. Picaud and C. Girardet, Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by MgO(100): a theoretical study 244 (1999) 227
Tran, H.D., see Kowert, B.A. 247 (1999) 435
Treinin, M., see Lewis, A. 245 (1999) 133
Tremblay, B. and L. Manceron, Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon 242 (1999) 235
Tremblay, B. and L. Manceron, The vibrational spectrum of PdCO isolated in solid argon 250 (1999) 187
Tretiak, S., V. Chernyak and S. Mukamel, Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes 245 (1999) 145
Tretiak, S., see Ern, J. 246 (1999) 115
Trommsdorff, H.P., see Brougham, D.F. 243 (1999) 189
Trommsdorff, H.P., see Benderskii, V.A. 244 (1999) 273
Trommsdorff, H.P., see Benderskii, V.A. 244 (1999) 299
Tsap, B., see Steier, W.H. 245 (1999) 487
Tseng, M.-T., see Hsu, J.-P. 242 (1999) 69
Tseng, S., see Hsu, J.-P. 242 (1999) 69
Tsiper, E., see Ern, J. 246 (1999) 115
Tsukanova, V., O. Slyadneva, T. Inoue, A. Harata and T. Ogawa, Compression of the dye monolayer at the air/water interface studied by second harmonic generation 250 (1999) 207
Tsunashima, S., see Sato, K. 242 (1999) 1
Tuckett, R.P., see Seccombe, D.P. 250 (1999) 335
Twieg, R.J., see Wortmann, R. 245 (1999) 107
Tyutyulkov, N., see Dietz, F. 246 (1999) 255

Udupa, A., see Steier, W.H. 245 (1999) 487
Ueda, K., see Shimizu, Y. 244 (1999) 439
Uesugi, M., see Okada, T. 241 (1999) 327
Umanskii, S.Y., see Lozovoy, V.V. 243 (1999) 97
Umeton, C., see Caputo, R. 245 (1999) 463
Urisu, T., see Nagaoka, S. 249 (1999) 15

Vahtras, O., see Engström, M. 243 (1999) 263
Valiron, P., see Faure, A. 241 (1999) 29
Vallet, V., B. Schimmelpfennig, L. Maron, C. Teichteil, T. Leininger, O. Gropen, I. Grenthe and U. Wahlgren, Reduction of uranyl by hydrogen: an ab initio study 244 (1999) 185
Vallet, V., see Maron, L. 244 (1999) 195
Van Dam, H.J.J., see Havenith, R.W.A. 246 (1999) 49
Van Duijnen, P.Th., see Grozema, F.C. 246 (1999) 217
Van Hutten, P.F., V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou, Excimer luminescence from single crystals and films of a cyano-substituted phenylene–vinylene model compound 241 (1999) 139
Van Lenthe, J.H., see Havenith, R.W.A. 246 (1999) 49
Van Oijen, A.M., M. Ketelaars, J. Köhler, T.J. Aartsma and J. Schmidt, Spectroscopy of individual LH2 complexes of *Rhodopseudomonas acidophila*: localized excitations in the B800 band 247 (1999) 53

Van Stryland, E.W., see Lim, J.H. 245 (1999) 79
Vasyutinskii, O.S., see Akopyan, M.E. 242 (1999) 263
Verhoeven, J.W., see Wegner, M. 242 (1999) 227
Vetchinkin, A.S., see Lozovoy, V.V. 243 (1999) 97
Vetoshkin, E.V., see Benderskii, V.A. 244 (1999) 273
Vetoshkin, E.V., see Benderskii, V.A. 244 (1999) 299
Vigil, S.R., see Kuzyk, M.G. 245 (1999) 327
Vigil, S.R., see Kuzyk, M.G. 245 (1999) 533
Vinogradov, A.S., A.B. Preobrajenski, S.L. Molodtsov, S.A. Krasnikov, R. Szargan, A. Knop-Gericke and M. Hävecker, Nitrogen and oxygen core excitations in solid $NaNO_2$ studied by X-ray absorption and resonant photoemission 249 (1999) 249
Vlad, M.O., J. Ross and A. Plonka, Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data 243 (1999) 273
Von Niessen, W., see Kortlüke, O. 247 (1999) 299

Wagnière, G.H., The magnetochiral effect and related optical phenomena 245 (1999) 165
Wagnière, G.H., see Kalugin, N.G. 248 (1999) 105
Wahlgren, U., see Vallet, V. 244 (1999) 185
Wahlgren, U., see Maron, L. 244 (1999) 195
Wakabayashi, S., see Sato, K. 242 (1999) 1
Walker, I.C., see Palmer, M.H. 241 (1999) 275
Walker, I.C., see Palmer, M.H. 247 (1999) 349
Walker, I.C., see Palmer, M.H. 249 (1999) 129
Wang, B., H. Hou and Y. Gu, Water-catalyzed mechanism for the pyrolysis of formic acid 243 (1999) 27
Wang, B., H. Hou and Y. Gu, Theoretical investigation of the reactions of $O(^3P)$ with CH_3F and CH_2F_2 247 (1999) 201
Wang, B.-C., see Hwang, D.-Y. 244 (1999) 143
Wang, F., see Robinson, B.H. 245 (1999) 35
Wang, F., see Steier, W.H. 245 (1999) 487
Wang, G.-J., H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou, Photodissociation of 1-bromo-2-chloroethane at 266 nm 241 (1999) 213
Wang, G.-J., see Zhu, R.-S. 248 (1999) 285
Wang, J., see Onuchic, J.N. 247 (1999) 175
Wang, J.F., see Hendrickx, E. 245 (1999) 407
Wang, L., see Zhang, J. 246 (1999) 209
Wang, R., see Zhang, J. 246 (1999) 209
Wang, X., see Chen, M. 242 (1999) 81
Wang, X., see Zhang, L. 249 (1999) 161
Wang, Y., see Bian, W. 242 (1999) 195
Wang, Y., see Bian, W. 242 (1999) 195
Wąsicki, J., see Wójcik, G. 249 (1999) 201
Wasylyshyn, D.A., see Johari, G.P. 242 (1999) 283
Wazawa, T., see Ishii, Y. 247 (1999) 163
Weber, J., see Boulet, P. 244 (1999) 163
Wegner, M., H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row, Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems 242 (1999) 227

Weiser, G., see Möller, S. 246 (1999) 483
Weiss, D.S., see Kadashchuk, A. 247 (1999) 307
Weiss, S., see Dahan, M. 247 (1999) 85
Weiss, S., see Ha, T. 247 (1999) 107
Weiss, U., see Lang, G. 244 (1999) 111
Welker, D.J., see Kuzyk, M.G. 245 (1999) 327
Welker, D.J., see Kuzyk, M.G. 245 (1999) 533
Wennmalm, S., L. Edman and R. Rigler, Non-ergodic behaviour in conformational transitions of single DNA molecules 247 (1999) 61
Wennmalm, S., see Edman, L. 247 (1999) 11
Westphal, A., see Roth, W. 248 (1999) 17
Widengren, J., B. Terry and R. Rigler, Protonation kinetics of GFP and FITC investigated by FCS — aspects of the use of fluorescent indicators for measuring pH 249 (1999) 259
Widengren, J., Ü. Mets and R. Rigler, Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy 250 (1999) 171
Wiehe, A., see Korth, O. 246 (1999) 363
Wild, U.P., see Sepioł, J. 247 (1999) 35
Willart, J.F., see Kuchta, B. 243 (1999) 169
Wilson, C.C., see Johnson, M.R. 244 (1999) 49
Wilson, C.F., see Chiu, D.T. 247 (1999) 133
Wilson, E.G., see Spagnoli, S. 250 (1999) 71
Winiarz, J.G., L. Zhang, M. Lal, C.S. Friend and P.N. Prasad, Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite 245 (1999) 417
Wirges, W., see Bauer-Gogonea, S. 245 (1999) 297
Wójcik, G., M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich, Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods 249 (1999) 201
Wolfe, S., see Rolke, J. 244 (1999) 1
Wolynes, P.G., see Onuchic, J.N. 247 (1999) 175
Wong, M.S., see Bosshard, C. 245 (1999) 377
Wood, M.V., see Khoo, I.C. 245 (1999) 517
Wormell, P., see Hurst, J.K. 246 (1999) 229
Wortmann, R., S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz, Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited 243 (1999) 295
Wortmann, R., C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You, Highly transparent and birefringent chromophores for organic photorefractive materials 245 (1999) 107
Wortmann, R., see Alain, V. 245 (1999) 51
Wu, W., see Cao, Z. 243 (1999) 209

Xian, H., see Cao, Z. 243 (1999) 209
Xu, K.Z., see Tian, S.X. 242 (1999) 217

Yaliraki, S.N., see Ledoux, I. 245 (1999) 1
Yamabe, T., see Kato, T. 247 (1999) 375

Yanagida, T., see Ishii, Y. 247 (1999) 163
Yang, J.H., see Jung, D.H. 244 (1999) 331
Yang, S., see Lim, J.H. 245 (1999) 79
Yoshida, T., see Ishii, Y. 247 (1999) 163
Yoshihara, K., see Ohta, K. 242 (1999) 103
Yoshizawa, K., see Kato, T. 247 (1999) 375
You, F., see Wortmann, R. 245 (1999) 107
You, X.-z., see Zhu, X.-l. 250 (1999) 303
Yu, M., see Chen, M. 242 (1999) 81

Zabulon, T., see Andraud, C. 245 (1999) 243
Zaika, V., see Kadashchuk, A. 247 (1999) 307
Zare, R.N., see Chiu, D.T. 247 (1999) 133
Zerbi, G., see Rumi, M. 242 (1999) 123
Zhang, C., see Robinson, B.H. 245 (1999) 35
Zhang, C., see Steier, W.H. 245 (1999) 487
Zhang, C.F., see Tian, S.X. 242 (1999) 217
Zhang, D., see Gracias, D.H. 245 (1999) 277
Zhang, H., see Wang, G.-J. 241 (1999) 213
Zhang, H., see Steier, W.H. 245 (1999) 487
Zhang, H., see Zhu, R.-S. 248 (1999) 285
Zhang, J., R. Wang, L. Wang and M. Baumgarten, Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals 246 (1999) 209
Zhang, L., P. Kalamegham, M. Romero and C.W. Dirk, Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes 245 (1999) 99
Zhang, L., X. Wang, M. Chen and Q.-z. Qin, DFT calculation and matrix isolation FTIR studies on the formation of CF_3OBr from $O(^1D)$ and CF_3Br in solid argon 249 (1999) 161
Zhang, L., see Chen, M. 242 (1999) 81
Zhang, L., see Winiarz, J.G. 245 (1999) 417
Zhang, Q., see Cao, Z. 243 (1999) 209
Zhang, Q., see Hendrickx, E. 245 (1999) 407
Zhang, Y., see Hendrickx, E. 245 (1999) 407
Zhang, Z.J., see Tian, S.X. 242 (1999) 217
Zhao, X., see Bian, W. 242 (1999) 195
ZhaoXu, C., X. Heming and Y. Shulin, Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts 250 (1999) 243
Zharikov, A.A., see Frantsuzov, P.A. 241 (1999) 95
Zheng, Y. and S. Ding, Algebraic method for determining the potential energy surface for nonlinear triatomic molecules 247 (1999) 225
Zheng, Y., see Rolke, J. 244 (1999) 1
Zhou, Z.-h., see Zhu, X.-l. 250 (1999) 303
Zhu, D.-r., see Zhu, X.-l. 250 (1999) 303
Zhu, R.-S., H. Zhang, G.-J. Wang, X.-B. Gu, K.-L. Han, G.-Z. He and N.-Q. Lou, Photodissociation of *o*-dichlorobenzene at 266 nm 248 (1999) 285
Zhu, R.-S., see Wang, G.-J. 241 (1999) 213
Zhu, X.-l., X.-z. You, D.-r. Zhu and Z.-h. Zhou, Molecular dynamics study of phase transition and nucleation in supercooled clusters of potassium iodide 250 (1999) 303
Ziane, O., R. Casalegno and A. Corval, Multistep photoinduced proton transfer in crystalline 2-(2′,4′-dinitrobenzyl)pyridine 250 (1999) 199

Zijlstra, R.W.J., see Grozema, F.C. 246 (1999) 217
Zimmer, K., B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig, Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes 248 (1999) 263
Zitto, M.E., see Ferraro, M.B. 241 (1999) 1
Zou, P., see McGivern, W.S. 249 (1999) 237
Zyss, J., see Ledoux, I. 245 (1999) 1
Zyss, J., see Robinson, B.H. 245 (1999) 35
Zyss, J., see Rojo, G. 245 (1999) 27
Zyss, J., see Andraud, C. 245 (1999) 243

ELSEVIER

Chemical Physics 241–250 (1999) 37–108

Chemical Physics

www.elsevier.nl/locate/chemphys

Subject index to volumes 241–250

Methods and constructs

Theoretical

Computational methods for electronic structure

Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential, M.B. Ferraro, M.C. Caputo and M.E. Zitto 241 (1999) 1

Local spin moment of $LaCoO_3$ probed by a core hole, C. Suzuki, J. Kawai, J.-y. Tanizawa, H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama 241 (1999) 17

On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions, S. Elkhattabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257

Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S, K. Sato, S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi 242 (1999) 1

RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $CbFe(CO)_3$, M. Jaworska 242 (1999) 11

Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123

Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141

Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153

Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice, M. Alfredsson and K. Hermansson 242 (1999) 161

Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195

Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301

Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1

Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17

Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35

PII: S0301-0104(99)00375-4

Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77
An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F, Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209
Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249
Hartree-Fock linear response calculations of g-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
Ab initio study of the addition of atomic carbon with water, D.-Y. Hwang, A.M. Mebel and B.-C. Wang 244 (1999) 143
Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules, C. Alemán 244 (1999) 151
Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+, P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163
The thiyl peroxyl radical: formation and UV spectrum. A multiconfigurational ab initio study, S. Lacombe, M. Loudet, H. Cardy and A. Dargelos 244 (1999) 175
Reduction of uranyl by hydrogen: an ab initio study, V. Vallet, B. Schimmelpfennig, L. Maron, C. Teichteil, T. Leininger, O. Gropen, I. Grenthe and U. Wahlgren 244 (1999) 185
Investigation of the low-lying excited states of PuO_2^{2+}, L. Maron, T. Leininger, B. Schimmelpfennig, V. Vallet, J.-L. Heully, C. Teichteil, O. Gropen and U. Wahlgren 244 (1999) 195
Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase, A. Rotinov, G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont 246 (1999) 1
A comparative study of MP2, B3LYP, RHF and SCC-DFTB force fields in predicting the vibrational spectra of N-acetyl-L-alanine-N'-methyl amide: VA and VCD spectra, H.G. Bohr, K.J. Jalkanen, M. Elstner, K. Frimand and S. Suhai 246 (1999) 13
Unusual distributed charge models of water's electric potential, S. Tanizaki, J. Mavri, H. Partridge and P.C. Jordan 246 (1999) 37
The excitation energies of 1,1′-bicyclohexylidene and 1,1′:4′,1″-tercyclohexylidene. A comparison of multi-reference configuration interaction and perturbation theory approaches, R.W.A. Havenith, H.J.J. van Dam, J.H. van Lenthe and L.W. Jenneskens 246 (1999) 49
Potential energy curves of 58 states of Li_2^+, S. Magnier, S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon 246 (1999) 57
Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldimine, M. Forés and S. Scheiner 246 (1999) 65
Thomas–Reiche–Kuhn populations in alkanes, P. Lazzeretti, M.C. Caputo and M.B. Ferraro 246 (1999) 75

Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87
Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study, J.J. Paz, M. Moreno and J.M. Lluch 246 (1999) 103
Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115
Ground-state reduced density matrices, effective Hamiltonians, and optical properties of Schiff bases of retinal, Z. Su, W. Liang and G. Chen 247 (1999) 185
Theoretical study of the electronic structure of KLi and comparison with experiments, S. Rousseau, A.R. Allouche, M. Aubert-Frécon, S. Magnier, P. Kowalczyk and W. Jastrzebski 247 (1999) 193
Theoretical study of the CH_2Br, $CHBr_2$ and CBr_3 radicals, J. Moc 247 (1999) 365
Electronic structures of 3d transition metal (Ti–Cu) oxides probed by a core hole, C. Suzuki, J. Kawai, H. Adachi and T. Mukoyama 247 (1999) 453
Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes, E. Czuchaj and H. Stoll 248 (1999) 1
The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt 248 (1999) 17
Electron transfer in poly(*p*-phenylene) oligomers: effect of external electric field and application of Koopmans theorem, X.-Y. Li, X.-S. Tang and F.-C. He 248 (1999) 137
Unimolecular decomposition of the isomers of $[HNO_2]^+$ and $[HNO_2]^-$ systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147
Site-specific phenomena in Si:2p core-level photoionization of $X_3Si(CH_2)_nSi(CH_3)_3$ (X = F or Cl, $n = 0$–2) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
A universal basis set for cations and anions generated with the generator coordinate Hartree–Fock method, F.E. Jorge and P.A. Fantin 249 (1999) 105
The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state, I. López-Tocón, J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci 249 (1999) 113
Theoretical studies on the electronic spectrum of linear C_6, M. Hanrath, S.D. Peyerimhoff and F. Grein 249 (1999) 121
A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
In^+ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237

-CI and valence bond approach

The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1

Quantum chemical potential energy surfaces for HXeCl, M. Johansson, M. Hotokka, M. Pettersson and M. Räsänen 244 (1999) 25
Reverting the effect of magnetic couplers in bridged di- and polyradicals, M. Baumgarten and S. Karabunarliev 244 (1999) 35
Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351
The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1

-perturbative and many body approaches
Ab initio determination of the CN–NH_3 capture potential energy surface, A. Faure, C. Rist and P. Valiron 241 (1999) 29
Theoretical study of the structure and NMR properties of μ-hydrido-bridged carbocations and carbodications, V. Galasso 241 (1999) 247
Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195
A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27
Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF_3, G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
Theoretical investigation of the reactions of $O(^3P)$ with CH_3F and CH_2F_2, B. Wang, H. Hou and Y. Gu 247 (1999) 201
The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27

-density functional theory
A DVR analysis of some vibrational modes in the elongated dihydrogen complex $[Ru(\eta^2\text{-}H_2)(C_5H_5)(H_2PCH_2PH_2)]^+$, R. Gelabert, M. Moreno, J.M. Lluch and A. Lledós 241 (1999) 155
How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1
Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49

Infrared spectrum and structure of $Ni(CO)_2$. A matrix isolation and DFT study, L. Manceron and M.E. Alikhani 244 (1999) 215
Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF_3, G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
Calculation of temporary anion states using density functional theory, A.Z. Szarka, L.A. Curtiss and J.R. Miller 246 (1999) 147
Kinetics of the recombination reactions of CClF with CF_2 and with CClF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds, J. Palomar, J.L.G. De Paz and J. Catalán 246 (1999) 167
A simple method for calculating the corrugation of metal surfaces, W. Lehnert, E. Leiva, W. Schmickler and J.W. Schultze 247 (1999) 207
Density functional study of the $Xe_2H_3^+$ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215
Theoretical study of the CH_2Br, $CHBr_2$ and CBr_3 radicals, J. Moc 247 (1999) 365
Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene, T. Kato, K. Yoshizawa and T. Yamabe 247 (1999) 375
A theoretical study of the isomerization pathways for $HBrO_2$ isomers, S. Guha and J.S. Francisco 247 (1999) 387
Unimolecular decomposition of the isomers of $[HNO_2]^+$ and $[HNO_2]^-$ systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147
Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161
A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
Theoretical studies of dissociation pathways on the ground state potential energy surface for HXGeO (X = H, F, Cl, and Br), C.-L. Lin, M.-D. Su and S.-Y. Chu 249 (1999) 145
DFT calculation and matrix isolation FTIR studies on the formation of CF_3OBr from $O(^1D)$ and CF_3Br in solid argon, L. Zhang, X. Wang, M. Chen and Q.-z. Qin 249 (1999) 161
Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273
Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies, A.J. Abkowicz-Bieńko, Z. Latajka, D.C. Bieńko and D. Michalska 250 (1999) 123
In^+ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237

Semiempirical methods

Computational studies in aqueous and chloroform solutions of complex organic solutes: distinctive effects of the solvent on solutes with small chemical differences, E.A. Armelin, C. Alemán, P.M. Donate and S.E. Galembeck 241 (1999) 167
Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
Molecular orbital models of benzene, biphenyl and the oligophenylenes , R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of triorganophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61

Reverting the effect of magnetic couplers in bridged di- and polyradicals, M. Baumgarten and S. Karabunarliev 244 (1999) 35
Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by MgO(100): a theoretical study, C. Toubin, S. Picaud and C. Girardet 244 (1999) 227
Excited charge transfer states in donor–acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251
Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
Many-body interactions calculated with the direct reaction field model, F.C. Grozema, R.W.J. Zijlstra and P.Th. van Duijnen 246 (1999) 217
The electronic spectrum of 1, 4, 5, 8-tetraazanaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of $TiCl^+$ and TiF^+, C. Focsa and B. Pinchemel 247 (1999) 395
Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
Superposition model for ^{19}F isotropic chemical shift in ionic fluorides: from basic metal fluorides to transition metal fluoride glasses, B. Bureau, G. Silly, J.Y. Buzaré and J. Emery 249 (1999) 89
A tight-binding model of phenylene molecules with *meta*-connections – implications for phenylacetylene dendrimers, Y. Shimoi and B.A. Friedman 250 (1999) 13
Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts, C. ZhaoXu, X. Heming and Y. Shulin 250 (1999) 243

Algebraic approaches
A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach, E.S. Bernardes and J.E.M. Hornos 242 (1999) 295
Application of the vibrational self-consistent field and correlation techniques to the $SH/D(\tilde{A})\cdots Rg$ ($Rg = Ar, Kr$) van der Waals complexes, D.A. Firsov, A.A. Granovsky and A.V. Nemukhin 244 (1999) 67
Algebraic method for determining the potential energy surface for nonlinear triatomic molecules, Y. Zheng and S. Ding 247 (1999) 225

Relativistic electronic structure theory
Reduction of uranyl by hydrogen: an ab initio study, V. Vallet, B. Schimmelpfennig, L. Maron, C. Teichteil, T. Leininger, O. Gropen, I. Grenthe and U. Wahlgren 244 (1999) 185
Investigation of the low-lying excited states of PuO_2^{2+}, L. Maron, T. Leininger, B. Schimmelpfennig, V. Vallet, J.-L. Heully, C. Teichteil, O. Gropen and U. Wahlgren 244 (1999) 195

Wavefunctions for highly excited and unbound states
The H_3O Rydberg radical, M. Luo and M. Jungen 241 (1999) 297
Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77

Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
Potential energy curves of 58 states of Li_2^+, S. Magnier, S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon 246 (1999) 57
Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldimine, M. Forés and S. Scheiner 246 (1999) 65
Calculation of temporary anion states using density functional theory, A.Z. Szarka, L.A. Curtiss and J.R. Miller 246 (1999) 147
The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351

Spin states and magnetic interactions

Radical polarization in double switching of external magnetic field, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 241 (1999) 193
Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301
Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319
Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of Fe(*PM-PEA*)$_2$(NCS)$_2$, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75
Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
Magnetic-field-induced isotropic-nematic phase transition in porous media, V. Popa-Nita 246 (1999) 247
Structure and properties of non-classical polymers. Part XII: A new family of high-spin polycyclic 1-D systems, F. Dietz and N. Tyutyulkov 246 (1999) 255
Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes, N.A. Davidenko and A.A. Ishchenko 247 (1999) 237
Theoretical study of the electron-spin magnetic moments (g-factors) of F_2^- and Cl_2^- (X_2^-), as well as MX_2 and $M_2X_2^+$ compounds with M = Li, Na, P.J. Bruna and F. Grein 249 (1999) 169
Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding, B. Gillon, M.A. Aebersold, O. Kahn, L. Pardi and B. Delley 250 (1999) 23

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)

Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential, M.B. Ferraro, M.C. Caputo and M.E. Zitto 241 (1999) 1
Radical polarization in double switching of external magnetic field, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 241 (1999) 193

Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89
Third-order microscopic nonlinearities of very long chain polyenes: saturation phenomena and conformational effects, I. Ledoux, I.D.W. Samuel, J. Zyss, S.N. Yaliraki, F.J. Schattenmann, R.R. Schrock and R.J. Silbey 245 (1999) 1
Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
The magnetochiral effect and related optical phenomena, G.H. Wagnière 245 (1999) 165
Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
Nonlinear optical properties of polyenoctupoles: a multipolar tensorial quantum analysis, C. Andraud, T. Zabulon, A. Collet and J. Zyss 245 (1999) 243
Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395

Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
Thomas–Reiche–Kuhn populations in alkanes, P. Lazzeretti, M.C. Caputo and M.B. Ferraro 246 (1999) 75
Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
Alignment determination of symmetric top molecule using rotationally resolved LIF, S.-L. Cong, K.-L. Han and N.-Q. Lou 249 (1999) 183
Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of $HONO_2$ in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131
Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249

Radiative (incl. relativistic) effects on molecules and molecular processes
Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
The magnetochiral effect and related optical phenomena, G.H. Wagnière 245 (1999) 165
Quantum confinement and superradiance of one-dimensional self-trapped Frenkel excitons, V.M. Agranovich and A.M. Kamchatnov 245 (1999) 175
Linestrengths of phosphorus monohydride. II. Isotope effect in the PX (X = H, D) b $^1\Sigma^+$ ($v' = 0$) → X $^3\Sigma^-$ ($v'' = 0$) emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1
The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41

Photon states and statistics
The nature of the $B^{(3)}$ field, G. Hunter 242 (1999) 331
Alignment determination of symmetric top molecule using rotationally resolved LIF, S.-L. Cong, K.-L. Han and N.-Q. Lou 249 (1999) 183
Energy transfer and migration in highly forbidden transitions of lanthanide ion doped crystals, M. Chua and P.A. Tanner 250 (1999) 267

Scattering of waves and particles
Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341
Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87
Superelastic collisions of electrons with the $c^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275
Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283
Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295
Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413
A semiclassical study of vibrational and rotational transition in $He + H_2$ at suprathermal energies, K. Sakimoto 249 (1999) 1
Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279

Collisional and reactive molecular dynamics with non-frictional forces
Ab initio determination of the $CN–NH_3$ capture potential energy surface, A. Faure, C. Rist and P. Valiron 241 (1999) 29
Classical trajectory study on $Ar - Cl_2$ van der Waals system using a recent potential, N.H.T. Lemes, J.P. Braga and J.C. Belchior 241 (1999) 305
Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249
Mechanism of efficient V–V in collisions of $N_2^+(\nu > 0)$ with N_2, K. Sohlberg 246 (1999) 307
A semiclassical study of vibrational and rotational transition in $He + H_2$ at suprathermal energies, K. Sakimoto 249 (1999) 1

Reactive molecular dynamics including dissipative processes
Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99
Theory of non-thermal electron transfer, A.I. Ivanov and V.V. Potovoi 247 (1999) 245
Collisional deactivation of CF_3I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm 248 (1999) 195

Intramolecular dynamics
Vibrational wave packet dynamics in NaK: The $A\ ^1\Sigma^+$ state, L.M. Andersson, H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson 241 (1999) 43
Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123

Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 273
Tunneling splittings in vibrational spectra of non-rigid molecules. VI. Asymmetric double-well potentials, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 299
Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- + 1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319
Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517
Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study, J.J. Paz, M. Moreno and J.M. Lluch 246 (1999) 103
Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of $HONO_2$ in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131
Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145
Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249

Molecular dynamics of many particle systems and condensed phases
Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55
Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353
Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49
The effect of an external electric field on the structure of liquid water using molecular dynamics simulations, D.H. Jung, J.H. Yang and M.S. Jhon 244 (1999) 331
Collision dynamics and surface wetting of nano-scale polymer particles on substrates, K. Fukui, B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid 244 (1999) 339
On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311
Many-body interactions calculated with the direct reaction field model, F.C. Grozema, R.W.J. Zijlstra and P.Th. van Duijnen 246 (1999) 217
Nonadiabatic processes in solution: molecular dynamics and surface hopping, P. Cattaneo, M. Persico and A. Tani 246 (1999) 315
A molecular model of *p*-terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41

Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141
A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155
Dynamic stability ratio of a colloidal dispersion, Y.-C. Kuo and J.-P. Hsu 250 (1999) 285
The effect of a cluster on a chemical reaction: a quasiclassical trajectory study, S. Adhikari and G.D. Billing 250 (1999) 295
Molecular dynamics study of phase transition and nucleation in supercooled clusters of potassium iodide, X.-l. Zhu, X.-z. You, D.-r. Zhu and Z.-h. Zhou 250 (1999) 303

Quasiparticle dynamics (incl. excitons, polarons)
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
Absorption line shape of Frenkel excitons in one-dimensional random chains with pairwise correlated Gaussian disorder, F. Domínguez-Adame, V.A. Malyshev and A. Rodríguez 244 (1999) 351
Quantum confinement and superradiance of one-dimensional self-trapped Frenkel excitons, V.M. Agranovich and A.M. Kamchatnov 245 (1999) 175
Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261
Contact and remote ion radicals formation and recombination, A.I. Burshtein 247 (1999) 275
Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293
Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191

Migration and interaction on grids and lattices
Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71

Statistical computational methods (incl. Monte Carlo)
Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
Locating critical points on multi-dimensional surfaces by genetic algorithm: test cases including normal and perturbed argon clusters, P. Chaudhury and S.P. Bhattacharyya 241 (1999) 313
Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169
Kinetics of the recombination reactions of CClF with CF_2 and with CClF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions, J.N. Onuchic, J. Wang and P.G. Wolynes 247 (1999) 175

Influence of hollow site adsorption in a model for the catalytic $CO + O_2$ and $CO + NO$ reaction, O. Kortlüke and W. von Niessen 247 (1999) 299
Target problem in a lattice with randomly removed bonds, V.M. Syutkin 248 (1999) 213
A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155

Dynamics of structures, lattices and macromolecular conformations
A dynamic model for linear locally stiff polymers in dilute solutions, R. Szorek 241 (1999) 83
Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179
Dynamics of linear polymers in dilute solutions, R. Szorek 246 (1999) 335
Dimensionality effects on the electronic and structural properties of PtS_2 chains, M. Springborg 246 (1999) 347
Photoinduced intramolecular electron transfer in covalently linked porphyrin–triptycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363
Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69
Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions, J.N. Onuchic, J. Wang and P.G. Wolynes 247 (1999) 175
Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts, C. ZhaoXu, X. Heming and Y. Shulin 250 (1999) 243

Fluctuations and random processes
The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89
Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111
Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283
Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85

Non-equilibrium statistical mechanics
Stochastic effects on nonadiabatic transitions, P.A. Frantsuzov, S.F. Fischer and A.A. Zharikov 241 (1999) 95
A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
Many-particle treatment of nonuniform reacting systems $A + B \rightarrow C$ and $A + B \rightarrow C + D$ in liquid solutions, O.A. Igoshin, A.A. Kipriyanov and A.B. Doktorov 244 (1999) 371
Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141
Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions, J.N. Onuchic, J. Wang and P.G. Wolynes 247 (1999) 175

Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261
Contact and remote ion radicals formation and recombination, A.I. Burshtein 247 (1999) 275
State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221

Non-equilibrium thermodynamic and hydrodynamic theories
State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221

Equilibrium statistical mechanics and thermodynamics
Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55
Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data, M.O. Vlad, J. Ross and A. Plonka 243 (1999) 273
The effect of an external electric field on the structure of liquid water using molecular dynamics simulations, D.H. Jung, J.H. Yang and M.S. Jhon 244 (1999) 331
The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
Effects of surfactants on the aggregation behaviour of thiacarbocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47

Extremum methods for ensembles (energy, entropy, free energy)
Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions, J.N. Onuchic, J. Wang and P.G. Wolynes 247 (1999) 175

Time and space correlation functions
Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau 248 (1999) 53
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71

Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155
Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171

Experiment

Magnetic resonances

Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
Hartree-Fock linear response calculations of g-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of Fe(*PM-PEA*)$_2$(NCS)$_2$, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75
Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295
Rigidity of the backbone for poly(bis(4-butoxycarbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ^{13}C $T_{1\rho}$ measurements, A.R. Lim, J.H. Kim and B.M. Novak 246 (1999) 373
The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27
Superposition model for ^{19}F isotropic chemical shift in ionic fluorides: from basic metal fluorides to transition metal fluoride glasses, B. Bureau, G. Silly, J.Y. Buzaré and J. Emery 249 (1999) 89
Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201

Molecular spectroscopy

Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127
Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123

Molecular orbital models of benzene, biphenyl and the oligophenylenes , R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
$E\,0_g^+ \rightarrow A\,1_u$ and $E\,0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
Excited charge transfer states in donor–acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251
Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387
Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
The electronic spectrum of 1, 4, 5, 8-tetraazanaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
Linestrengths of phosphorus monohydride. II. Isotope effect in the PX (X = H, D) $b\ ^1\Sigma^+$ $(v' = 0) \rightarrow X\ ^3\Sigma^-$ $(v'' = 0)$ emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
Photoinduced intramolecular electron transfer in covalently linked porphyrin–triptycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363
Total fragmentation of $SbCl_3$ by multiphoton dissociation in the UV, G. Haunert and E. Tiemann 246 (1999) 381
Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2, H.T. Liou and K.L. Huang 246 (1999) 391
Spectroscopic investigation of vibration–rotation bands in acetaldehyde:. Focus on the $n\nu_3$ $(n = 1–5)$ aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433
Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepioł, A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution, Y. Ishii, T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida 247 (1999) 163
The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems, A. Kadashchuk, D.S. Weiss, P.M. Borsenberger, S. Nešpùrek, N. Ostapenko and V. Zaika 247 (1999) 307
Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of $TiCl^+$ and TiF^+, C. Focsa and B. Pinchemel 247 (1999) 395

Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
Internal heavy-atom effect on spin–orbit and vibronic–spin–orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich 248 (1999) 233
Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig 248 (1999) 263
Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
The electric dipole moment of the Ar_2–OCX (X = O,S) complexes, D. Consalvo and J. Gripp 249 (1999) 41
Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde:electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311
Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321

-microwave
The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
The electric dipole moment of the Ar_2–OCX (X = O,S) complexes, D. Consalvo and J. Gripp 249 (1999) 41

-infrared
Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
Infrared spectrum and structure of $Ni(CO)_2$. A matrix isolation and DFT study, L. Manceron and M.E. Alikhani 244 (1999) 215
Theory of weak damped H-bonds: relative influence of relaxation mechanisms on IR spectra, P. Blaise, O. Henri-Rousseau and A. Grandjean 244 (1999) 405
Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds, J. Palomar, J.L.G. De Paz and J. Catalán 246 (1999) 167
Density functional study of the $Xe_2H_3^+$ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215
The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt 248 (1999) 17
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau 248 (1999) 53
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71

Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
DFT calculation and matrix isolation FTIR studies on the formation of CF_3OBr from $O(^1D)$ and CF_3Br in solid argon, L. Zhang, X. Wang, M. Chen and Q.-z. Qin 249 (1999) 161
Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201
The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies, A.J. Abkowicz-Bieńko, Z. Latajka, D.C. Bieńko and D. Michalska 250 (1999) 123
The vibrational spectrum of PdCO isolated in solid argon, B. Tremblay and L. Manceron 250 (1999) 187

-Raman

Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323
Surface-enhanced non-linear Raman scattering at the single-molecule level, K. Kneipp, H. Kneipp, I. Itzkan, R.R. Dasari and M.S. Feld 247 (1999) 155
Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145

-UV

Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213
The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179

Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV), R. Feng, G. Cooper and C.E. Brion 244 (1999) 127
The electronic spectrum of 1, 4, 5, 8-tetraazanaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351
Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223

-visible

Molecular orbital models of benzene, biphenyl and the oligophenylenes , R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201
Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277
Linestrengths of phosphorus monohydride. II. Isotope effect in the PX (X = H, D) b $^1\Sigma^+$ ($v' = 0$) → X $^3\Sigma^-$ ($v'' = 0$) emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445
Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1
Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41
Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69
Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig 248 (1999) 263
Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273

Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191
Effects of surfactants on the aggregation behaviour of thiacarbocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47
DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene, K.J. Donovan, K. Scott, S. Spagnoli and J. Berrehar 250 (1999) 61
Multistep photoinduced proton transfer in crystalline 2-(2′,4′-dinitrobenzyl)pyridine, O. Ziane, R. Casalegno and A. Corval 250 (1999) 199

Photon counting and phase fluorimetry
Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41

Photoelectron and Auger spectroscopy
The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
Auger electron spectra of CF_3CN, CF_3Cl, CF_2Cl_2 and $CFCl_3$, Y. Shimizu, K. Ueda, H. Chiba, M. Okunishi, K. Ohmori, Y. Sato, I.H. Suzuki, T. Ibuki and K. Okada 244 (1999) 439
Site-specific phenomena in Si:2p core-level photoionization of $X_3Si(CH_2)_nSi(CH_3)_3$ (X = F or Cl, $n = 0$–2) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron–photoion coincidence spectroscopy, D.P. Seccombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335

Multiphoton ionization
A method to obtain meV-collision-energy resolution in scattering studies: application to the $H + D_2 \rightarrow HD(v' = 0, j') + D(\theta_{rel} < 80°)$ reaction at $E_{rel} = 1.275 \pm 0.011$ eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449
ZEKE spectroscopy of aniline–X (X = Ar, Kr, N_2 and CO) van der Waals complex cations, J.-G. Jäckel and H. Jones 247 (1999) 321
The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237

X-ray spectroscopy

Local spin moment of $LaCoO_3$ probed by a core hole, C. Suzuki, J. Kawai, J.-y. Tanizawa, H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama 241 (1999) 17

X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61

The sulphur 2p photoabsorption spectrum of NSF_3, A. Jürgensen, N. Kosugi and R.G. Cavell 247 (1999) 445

Nitrogen and oxygen core excitations in solid $NaNO_2$ studied by X-ray absorption and resonant photoemission, A.S. Vinogradov, A.B. Preobrajenski, S.L. Molodtsov, S.A. Krasnikov, R. Szargan, A. Knop-Gericke and M. Hävecker 249 (1999) 249

Electron impact spectroscopy

Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91

Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1

Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes, N.A. Davidenko and A.A. Ishchenko 247 (1999) 237

Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223

Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde:electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311

Laser induced fluorescence

Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127

Energetics, molecular electronic structure, and spectroscopy of forming Group IIA dihalide complexes, T.C. Devore and J.L. Gole 241 (1999) 221

Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141

Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153

The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253

The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263

$E0_g^+ \rightarrow A\,1_u$ and $E0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- +1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319
Dispersive charge separation and conformational cooling of $P^+H_A^-$ in reaction centers of *Rb. sphaeroides* R26: a spontaneous emission study, A. Ogrodnik, G. Hartwich, H. Lossau and M.E. Michel-Beyerle 244 (1999) 461
Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2, H.T. Liou and K.L. Huang 246 (1999) 391
The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepioł, A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
Spectroscopy of individual LH2 complexes of *Rhodopseudomonas acidophila*: localized excitations in the B800 band, A.M. van Oijen, M. Ketelaars, J. Köhler, T.J. Aartsma and J. Schmidt 247 (1999) 53
Non-ergodic behaviour in conformational transitions of single DNA molecules, S. Wennmalm, L. Edman and R. Rigler 247 (1999) 61
Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85
Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
Manipulating the biochemical nanoenvironment around single molecules contained within vesicles, D.T. Chiu, C.F. Wilson, A. Karlsson, A. Danielsson, A. Lundqvist, A. Strömberg, F. Ryttsén, M. Davidson, S. Nordholm, O. Orwar and R.N. Zare 247 (1999) 133
Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of $TiCl^+$ and TiF^+, C. Focsa and B. Pinchemel 247 (1999) 395
Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
Protonation kinetics of GFP and FITC investigated by FCS — aspects of the use of fluorescent indicators for measuring pH, J. Widengren, B. Terry and R. Rigler 249 (1999) 259
Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171

Ultrafast measurements

Vibrational wave packet dynamics in NaK: The A $^1\Sigma^+$ state, L.M. Andersson, H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson 241 (1999) 43
Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study, K. Ohta, T.J. Kang, K. Tominaga and K. Yoshihara 242 (1999) 103
Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97

Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115
A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463
Ultrafast induced excited state absorption in organically doped xerogels, M. Brunel, B. Campagne, M. Canva, A. Brun, F. Chaput and J.-P. Boilot 246 (1999) 477
Effect of water-soluble electron scavengers on positronium formation in AOT/water/isooctane microemulsions, V.S. Subrahmanyam, M.F. Ferreira Marques and G. Duplâtre 247 (1999) 333
Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63

Nonlinear optics and spectroscopy

Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
Third-order microscopic nonlinearities of very long chain polyenes: saturation phenomena and conformational effects, I. Ledoux, I.D.W. Samuel, J. Zyss, S.N. Yaliraki, F.J. Schattenmann, R.R. Schrock and R.J. Silbey 245 (1999) 1
Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π-conjugation length on third-order optical nonlinearity of two-dimensional molecules, H.S. Nalwa, M. Hanack, G. Pawlowski and M.K. Engel 245 (1999) 17
Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching, E. Schmälzlin, U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz 245 (1999) 73
Polymethine and squarylium molecules with large excited-state absorption, J.H. Lim, O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky 245 (1999) 79
Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107
Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121

Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133
The magnetochiral effect and related optical phenomena, G.H. Wagnière 245 (1999) 165
Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277
Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311
Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
Organic nonlinear optical crystal DAST growth and its device applications, S. Sohma, H. Takahashi, T. Taniuchi and H. Ito 245 (1999) 359
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
Ellipsometric determination of the electric-field-induced birefringence of photorefractive dyes in a liquid carbazole derivative, E. Hendrickx, B.D. Guenther, Y. Zhang, J.F. Wang, K. Staub, Q. Zhang, S.R. Marder, B. Kippelen and N. Peyghambarian 245 (1999) 407
Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473

Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517
All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207

Synchrotron spectroscopies
Subthreshold photoionization spectra of CH_3I perturbed by SF_6, C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333
The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81
A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217
Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron–photoion coincidence spectroscopy, D.P. Seccombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335

Coherent optical spectroscopy
The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105

Optical pumping
On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437

Multiple resonance spectroscopy
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141

Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2, H.T. Liou and K.L. Huang 246 (1999) 391

Optoacoustic spectroscopy
Spectroscopic investigation of vibration–rotation bands in acetaldehyde:. Focus on the $n\nu_3$ ($n = 1$–5) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433

Atomic and molecular beam techniques
Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213
A method to obtain meV-collision-energy resolution in scattering studies: application to the $H + D_2 \rightarrow HD(v' = 0, j') + D(\theta_{rel} < 80°)$ reaction at $E_{rel} = 1.275 \pm 0.011$ eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449
Spectroscopic investigation of vibration–rotation bands in acetaldehyde:. Focus on the $n\nu_3$ ($n = 1$–5) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433
Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413
Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431
Photodissociation of *o*-dichlorobenzene at 266 nm, R.-S. Zhu, H. Zhang, G.-J. Wang, X.-B. Gu, K.-L. Han, G.-Z. He and N.-Q. Lou 248 (1999) 285
A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73

Mass spectroscopy
A theoretical study of the isomerization pathways for $HBrO_2$ isomers, S. Guha and J.S. Francisco 247 (1999) 387
Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81
A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217
In^+ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237
Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron–photoion coincidence spectroscopy, D.P. Seccombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335

Radiolysis
Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319
Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293

Mössbauer spectroscopy
A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109

X-ray, electron and neutron diffraction
Excimer luminescence from single crystals and films of a cyano-substituted phenylene–vinylene model compound, P.F. van Hutten, V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou 241 (1999) 139
A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding, B. Gillon, M.A. Aebersold, O. Kahn, L. Pardi and B. Delley 250 (1999) 23

Neutron scattering (inelastic and quasielastic)
Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49
Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387

Small angle X-ray and neutron diffraction
Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295

Calorimetric methods
A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99
Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201
Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145

Measurement of macroscopic variables
A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+}- and Li^{+}-doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339
Deuterium isotope effect on swelling process in aqueous polymer gels, H. Shirota and K. Horie 242 (1999) 115
Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
Kinetics of the recombination reactions of CClF with CF_2 and with CClF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
Photoconductivity of polydiacetylene chains in polymer and monomer single crystals, S. Möller and G. Weiser 246 (1999) 483
Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321

Objects

Bulk systems

Gases
Subthreshold photoionization spectra of CH_3I perturbed by SF_6, C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
The 'approach-induced' $I_2(E0_g^+ \xleftrightarrow{I_2(X)} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341
Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27
Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77
Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97

Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
$E\,0_g^+ \rightarrow A\,1_u$ and $E\,0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase, A. Rotinov, G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont 246 (1999) 1
Kinetics of the recombination reactions of CClF with CF_2 and with CClF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
Linestrengths of phosphorus monohydride. II. Isotope effect in the PX (X = H, D) $b\,^1\Sigma^+$ $(v' = 0) \rightarrow X\,^3\Sigma^-$ $(v'' = 0)$ emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
Theoretical investigation of the reactions of $O(^3P)$ with CH_3F and CH_2F_2, B. Wang, H. Hou and Y. Gu 247 (1999) 201
A theoretical study of the isomerization pathways for $HBrO_2$ isomers, S. Guha and J.S. Francisco 247 (1999) 387
Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
The sulphur 2p photoabsorption spectrum of NSF_3, A. Jürgensen, N. Kosugi and R.G. Cavell 247 (1999) 445
Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes, E. Czuchaj and H. Stoll 248 (1999) 1
The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt 248 (1999) 17
Collisional deactivation of CF_3I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm 248 (1999) 195
State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221
The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
A semiclassical study of vibrational and rotational transition in $He + H_2$ at suprathermal energies, K. Sakimoto 249 (1999) 1
Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts, C. ZhaoXu, X. Heming and Y. Shulin 250 (1999) 243
Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde:electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311

Supersonic beams

Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213
Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91

The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237

Liquids neat

Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55
Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
The effect of an external electric field on the structure of liquid water using molecular dynamics simulations, D.H. Jung, J.H. Yang and M.S. Jhon 244 (1999) 331
Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145
A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155

Liquid mixtures and solutions

Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture, P. Habdas, M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska 241 (1999) 351
Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study, K. Ohta, T.J. Kang, K. Tominaga and K. Yoshihara 242 (1999) 103
Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319
Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263

Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295

Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323

Excited charge transfer states in donor–acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251

Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- +1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319

A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction A + B → B in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361

Many-particle treatment of nonuniform reacting systems $A + B \rightarrow C$ and $A + B \rightarrow C + D$ in liquid solutions, O.A. Igoshin, A.A. Kipriyanov and A.B. Doktorov 244 (1999) 371

Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51

Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching, E. Schmälzlin, U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz 245 (1999) 73

Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99

Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107

Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185

Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115

Nonadiabatic processes in solution: molecular dynamics and surface hopping, P. Cattaneo, M. Persico and A. Tani 246 (1999) 315

Dynamics of linear polymers in dilute solutions, R. Szorek 246 (1999) 335

Photoinduced intramolecular electron transfer in covalently linked porphyrin–triptycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363

A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463

Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261

Effect of water-soluble electron scavengers on positronium formation in AOT/water/iso-octane microemulsions, V.S. Subrahmanyam, M.F. Ferreira Marques and G. Duplâtre 247 (1999) 333

Translational diffusion of transition metal complexes, B.A. Kowert, A.M. Hughes, N.C. Dang, M.B. Martin, G.H. Cheung, H.D. Tran and J.P. Reed 247 (1999) 435

2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41

The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
Dynamic stability ratio of a colloidal dispersion, Y.-C. Kuo and J.-P. Hsu 250 (1999) 285
Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321

Crystals

Excimer luminescence from single crystals and films of a cyano-substituted phenylene–vinylene model compound, P.F. van Hutten, V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou 241 (1999) 139
Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice, M. Alfredsson and K. Hermansson 242 (1999) 161
Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169
Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of Fe(*PM-PEA*)$_2$(NCS)$_2$, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75
Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387
Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
Organic nonlinear optical crystal DAST growth and its device applications, S. Sohma, H. Takahashi, T. Taniuchi and H. Ito 245 (1999) 359
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
Photoconductivity of polydiacetylene chains in polymer and monomer single crystals, S. Möller and G. Weiser 246 (1999) 483
Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293
Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G.

Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201
Multistep photoinduced proton transfer in crystalline 2-(2′,4′-dinitrobenzyl)pyridine, O. Ziane, R. Casalegno and A. Corval 250 (1999) 199
Energy transfer and migration in highly forbidden transitions of lanthanide ion doped crystals, M. Chua and P.A. Tanner 250 (1999) 267

-neat
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49
A molecular model of *p*-terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201

-mixed
A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepioł, A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
Density functional study of the $Xe_2H_3^+$ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215

Glasses
Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201
Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
Target problem in a lattice with randomly removed bonds, V.M. Syutkin 248 (1999) 213
Superposition model for ^{19}F isotropic chemical shift in ionic fluorides: from basic metal fluorides to transition metal fluoride glasses, B. Bureau, G. Silly, J.Y. Buzaré and J. Emery 249 (1999) 89

Complex fluids
Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture, P. Habdas, M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska 241 (1999) 351

-liquid crystals
Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473
Magnetic-field-induced isotropic-nematic phase transition in porous media, V. Popa-Nita 246 (1999) 247

-microemulsions
Effect of water-soluble electron scavengers on positronium formation in AOT/water/isooctane microemulsions, V.S. Subrahmanyam, M.F. Ferreira Marques and G. Duplâtre 247 (1999) 333

-micelles
Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63
Effects of surfactants on the aggregation behaviour of thiacarbocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47

Polymers
A dynamic model for linear locally stiff polymers in dilute solutions, R. Szorek 241 (1999) 83
Deuterium isotope effect on swelling process in aqueous polymer gels, H. Shirota and K. Horie 242 (1999) 115
Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
Collision dynamics and surface wetting of nano-scale polymer particles on substrates, K. Fukui, B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid 244 (1999) 339
The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
Nonlinear optical properties of polyenoctupoles: a multipolar tensorial quantum analysis, C. Andraud, T. Zabulon, A. Collet and J. Zyss 245 (1999) 243
A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277
In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311

Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473
Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
Structure and properties of non-classical polymers. Part XII: A new family of high-spin polycyclic 1-D systems, F. Dietz and N. Tyutyulkov 246 (1999) 255
Dynamics of linear polymers in dilute solutions, R. Szorek 246 (1999) 335
Rigidity of the backbone for poly(bis(4-butoxycarbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ^{13}C $T_{1\rho}$ measurements, A.R. Lim, J.H. Kim and B.M. Novak 246 (1999) 373
Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445
Photoconductivity of polydiacetylene chains in polymer and monomer single crystals, S. Möller and G. Weiser 246 (1999) 483
Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41
Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems, A. Kadashchuk, D.S. Weiss, P.M. Borsenberger, S. Nešpůrek, N. Ostapenko and V. Zaika 247 (1999) 307
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273
Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene, K.J. Donovan, K. Scott, S. Spagnoli and J. Berrehar 250 (1999) 61

Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71

Semiconductors

Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+}- and Li^{+}-doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339

Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341

Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes, N.A. Davidenko and A.A. Ishchenko 247 (1999) 237

Metals and alloys

Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327

Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341

Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431

Thin films

Excimer luminescence from single crystals and films of a cyano-substituted phenylene–vinylene model compound, P.F. van Hutten, V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou 241 (1999) 139

Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285

In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297

Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445

Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273

Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191

Surfaces

Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55

Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341

Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by MgO(100): a theoretical study, C. Toubin, S. Picaud and C. Girardet 244 (1999) 227

A simple method for calculating the corrugation of metal surfaces, W. Lehnert, E. Leiva, W. Schmickler and J.W. Schultze 247 (1999) 207

Influence of hollow site adsorption in a model for the catalytic $CO + O_2$ and $CO + NO$ reaction, O. Kortlüke and W. von Niessen 247 (1999) 299

Site-specific phenomena in Si:2p core-level photoionization of $X_3Si(CH_2)_nSi(CH_3)_3$ (X = F or Cl, $n = 0–2$) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207
Dynamic stability ratio of a colloidal dispersion, Y.-C. Kuo and J.-P. Hsu 250 (1999) 285

Low-dimensional materials
Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301
DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene, K.J. Donovan, K. Scott, S. Spagnoli and J. Berrehar 250 (1999) 61
Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71

Dielectrics
Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture, P. Habdas, M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska 241 (1999) 351
Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201

Plasmas
Superelastic collisions of electrons with the $c\,^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275

Biological systems
Computational studies in aqueous and chloroform solutions of complex organic solutes: distinctive effects of the solvent on solutes with small chemical differences, E.A. Armelin, C. Alemán, P.M. Donate and S.E. Galembeck 241 (1999) 167
Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
Dispersive charge separation and conformational cooling of $P^+H_A^-$ in reaction centers of *Rb. sphaeroides* R26: a spontaneous emission study, A. Ogrodnik, G. Hartwich, H. Lossau and M.E. Michel-Beyerle 244 (1999) 461

Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133
The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
Spectroscopy of individual LH2 complexes of *Rhodopseudomonas acidophila*: localized excitations in the B800 band, A.M. van Oijen, M. Ketelaars, J. Köhler, T.J. Aartsma and J. Schmidt 247 (1999) 53
Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69
Manipulating the biochemical nanoenvironment around single molecules contained within vesicles, D.T. Chiu, C.F. Wilson, A. Karlsson, A. Danielsson, A. Lundqvist, A. Strömberg, F. Ryttsén, M. Davidson, S. Nordholm, O. Orwar and R.N. Zare 247 (1999) 133

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)

A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123
A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367
Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1
Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111
Ab initio study of the addition of atomic carbon with water, D.-Y. Hwang, A.M. Mebel and B.-C. Wang 244 (1999) 143
A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
Unusual distributed charge models of water's electric potential, S. Tanizaki, J. Mavri, H. Partridge and P.C. Jordan 246 (1999) 37

Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87
Photoinduced intramolecular electron transfer in covalently linked porphyrin–triptycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363
Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1
The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepioł, A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41
Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85
Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
Manipulating the biochemical nanoenvironment around single molecules contained within vesicles, D.T. Chiu, C.F. Wilson, A. Karlsson, A. Danielsson, A. Lundqvist, A. Strömberg, F. Ryttsén, M. Davidson, S. Nordholm, O. Orwar and R.N. Zare 247 (1999) 133
Surface-enhanced non-linear Raman scattering at the single-molecule level, K. Kneipp, H. Kneipp, I. Itzkan, R.R. Dasari and M.S. Feld 247 (1999) 155
Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution, Y. Ishii, T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida 247 (1999) 163
A universal basis set for cations and anions generated with the generator coordinate Hartree–Fock method, F.E. Jorge and P.A. Fantin 249 (1999) 105

Molecules (neutral and ionic)

Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127
A DVR analysis of some vibrational modes in the elongated dihydrogen complex $[Ru(\eta^2\text{-}H_2)(C_5H_5)(H_2PCH_2PH_2)]^+$, R. Gelabert, M. Moreno, J.M. Lluch and A. Lledós 241 (1999) 155
Energetics, molecular electronic structure, and spectroscopy of forming Group IIA dihalide complexes, T.C. Devore and J.L. Gole 241 (1999) 221
Subthreshold photoionization spectra of CH_3I perturbed by SF_6, C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S, K. Sato, S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi 242 (1999) 1
Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81

Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91
Energy gradient method for the ground, excited, ionized, and electron-attached states calculated by the SAC (symmetry-adapted cluster)/SAC–CI (configuration interaction) method, T. Nakajima and H. Nakatsuji 242 (1999) 177
Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach, E.S. Bernardes and J.E.M. Hornos 242 (1999) 295
Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61
An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F, Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209
Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules, C. Alemán 244 (1999) 151
Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+, P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163
Reduction of uranyl by hydrogen: an ab initio study, V. Vallet, B. Schimmelpfennig, L. Maron, C. Teichteil, T. Leininger, O. Gropen, I. Grenthe and U. Wahlgren 244 (1999) 185
Investigation of the low-lying excited states of PuO_2^{2+}, L. Maron, T. Leininger, B. Schimmelpfennig, V. Vallet, J.-L. Heully, C. Teichteil, O. Gropen and U. Wahlgren 244 (1999) 195
Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 273
Tunneling splittings in vibrational spectra of non-rigid molecules. VI. Asymmetric double-well potentials, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 299
Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- + 1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319
Absorption line shape of Frenkel excitons in one-dimensional random chains with pairwise correlated Gaussian disorder, F. Domínguez-Adame, V.A. Malyshev and A. Rodríguez 244 (1999) 351
Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387
Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99

Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase, A. Rotinov, G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont 246 (1999) 1
A comparative study of MP2, B3LYP, RHF and SCC-DFTB force fields in predicting the vibrational spectra of N-acetyl-L-alanine-N'-methyl amide: VA and VCD spectra, H.G. Bohr, K.J. Jalkanen, M. Elstner, K. Frimand and S. Suhai 246 (1999) 13
The excitation energies of 1,1′-bicyclohexylidene and 1,1′:4′,1″-tercyclohexylidene. A comparison of multi-reference configuration interaction and perturbation theory approaches, R.W.A. Havenith, H.J.J. van Dam, J.H. van Lenthe and L.W. Jenneskens 246 (1999) 49
Thomas–Reiche–Kuhn populations in alkanes, P. Lazzeretti, M.C. Caputo and M.B. Ferraro 246 (1999) 75
Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF_3, G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds, J. Palomar, J.L.G. De Paz and J. Catalán 246 (1999) 167
Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
Mechanism of efficient V–V in collisions of $N_2^+(v>0)$ with N_2, K. Sohlberg 246 (1999) 307
Dimensionality effects on the electronic and structural properties of PtS_2 chains, M. Springborg 246 (1999) 347
Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2, H.T. Liou and K.L. Huang 246 (1999) 391
Ultrafast induced excited state absorption in organically doped xerogels, M. Brunel, B. Campagne, M. Canva, A. Brun, F. Chaput and J.-P. Boilot 246 (1999) 477
Ground-state reduced density matrices, effective Hamiltonians, and optical properties of Schiff bases of retinal, Z. Su, W. Liang and G. Chen 247 (1999) 185
Theory of non-thermal electron transfer, A.I. Ivanov and V.V. Potovoi 247 (1999) 245
The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems, A. Kadashchuk, D.S. Weiss, P.M. Borsenberger, S. Nešpůrek, N. Ostapenko and V. Zaika 247 (1999) 307
Kurtosis of level distributions in vibrational spectra. Coupled Morse oscillators, M. Bancewicz 247 (1999) 341
Internal heavy-atom effect on spin–orbit and vibronic–spin–orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich 248 (1999) 233
Theoretical studies of dissociation pathways on the ground state potential energy surface for HXGeO (X = H, F, Cl, and Br), C.-L. Lin, M.-D. Su and S.-Y. Chu 249 (1999) 145
Theoretical study of the electron-spin magnetic moments (*g*-factors) of F_2^- and Cl_2^- (X_2^-), as well as MX_2 and $M_2X_2^+$ compounds with M = Li, Na, P.J. Bruna and F. Grein 249 (1999) 169
Alignment determination of symmetric top molecule using rotationally resolved LIF, S.-L. Cong, K.-L. Han and N.-Q. Lou 249 (1999) 183
Nitrogen and oxygen core excitations in solid $NaNO_2$ studied by X-ray absorption and resonant photoemission, A.S. Vinogradov, A.B. Preobrajenski, S.L. Molodtsov, S.A. Krasnikov, R. Szargan, A. Knop-Gericke and M. Hävecker 249 (1999) 249

Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding, B. Gillon, M.A. Aebersold, O. Kahn, L. Pardi and B. Delley 250 (1999) 23
Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies, A.J. Abkowicz-Bieńko, Z. Latajka, D.C. Bieńko and D. Michalska 250 (1999) 123

-diatomic
Vibrational wave packet dynamics in NaK: The A $^1\Sigma^+$ state, L.M. Andersson, H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson 241 (1999) 43
On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions, S. Elkhattabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257
The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
$E0_g^+ \rightarrow A\,1_u$ and $E0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
Potential energy curves of 58 states of Li_2^+, S. Magnier, S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon 246 (1999) 57
Superelastic collisions of electrons with the $c\,^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275
Theoretical study of the electronic structure of KLi and comparison with experiments, S. Rousseau, A.R. Allouche, M. Aubert-Frécon, S. Magnier, P. Kowalczyk and W. Jastrzebski 247 (1999) 193
The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351
Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of $TiCl^+$ and TiF^+, C. Focsa and B. Pinchemel 247 (1999) 395
Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes, E. Czuchaj and H. Stoll 248 (1999) 1
A semiclassical study of vibrational and rotational transition in $He + H_2$ at suprathermal energies, K. Sakimoto 249 (1999) 1
The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237

-small polyatomics
Ab initio determination of the $CN–NH_3$ capture potential energy surface, A. Faure, C. Rist and P. Valiron 241 (1999) 29
Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213

The H_3O Rydberg radical, M. Luo and M. Jungen 241 (1999) 297
A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77
Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323
A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333
Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1
Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV), R. Feng, G. Cooper and C.E. Brion 244 (1999) 127
Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules, C. Alemán 244 (1999) 151
Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+, P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163
Auger electron spectra of CF_3CN, CF_3Cl, CF_2Cl_2 and $CFCl_3$, Y. Shimizu, K. Ueda, H. Chiba, M. Okunishi, K. Ohmori, Y. Sato, I.H. Suzuki, T. Ibuki and K. Okada 244 (1999) 439
Unusual distributed charge models of water's electric potential, S. Tanizaki, J. Mavri, H. Partridge and P.C. Jordan 246 (1999) 37
Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study, J.J. Paz, M. Moreno and J.M. Lluch 246 (1999) 103
Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF_3, G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
Total fragmentation of $SbCl_3$ by multiphoton dissociation in the UV, G. Haunert and E. Tiemann 246 (1999) 381
Spectroscopic investigation of vibration–rotation bands in acetaldehyde:. Focus on the $n\nu_3$ ($n = 1$–5) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433
Density functional study of the $Xe_2H_3^+$ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215
Algebraic method for determining the potential energy surface for nonlinear triatomic molecules, Y. Zheng and S. Ding 247 (1999) 225

Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413
The sulphur 2p photoabsorption spectrum of NSF_3, A. Jürgensen, N. Kosugi and R.G. Cavell 247 (1999) 445
The ab-initio calculation of the gas phase ion mobility of Na^+ in N_2, A.E. Thompson, R.G.A.R. Maclagan and P.W. Harland 248 (1999) 127
Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161
Site-specific phenomena in Si:2p core-level photoionization of $X_3Si(CH_2)_nSi(CH_3)_3$ (X = F or Cl, $n = 0–2$) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223
Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273
Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of $HONO_2$ in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131
The vibrational spectrum of PdCO isolated in solid argon, B. Tremblay and L. Manceron 250 (1999) 187
Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde:electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311
Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron–photoion coincidence spectroscopy, D.P. Seccombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335

-aromatics

The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
Excited charge transfer states in donor–acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251
Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldimine, M. Forés and S. Scheiner 246 (1999) 65
The electronic spectrum of 1, 4, 5, 8-tetraazanaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463

Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepioł, A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene, T. Kato, K. Yoshizawa and T. Yamabe 247 (1999) 375
Electron transfer in poly(*p*-phenylene) oligomers: effect of external electric field and application of Koopmans theorem, X.-Y. Li, X.-S. Tang and F.-C. He 248 (1999) 137
Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1
A tight-binding model of phenylene molecules with *meta*-connections – implications for phenylacetylene dendrimers, Y. Shimoi and B.A. Friedman 250 (1999) 13
Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81
A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217

-other large

Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179
Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π-conjugation length on third-order optical nonlinearity of two-dimensional molecules, H.S. Nalwa, M. Hanack, G. Pawlowski and M.K. Engel 245 (1999) 17
Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
Ellipsometric determination of the electric-field-induced birefringence of photorefractive dyes in a liquid carbazole derivative, E. Hendrickx, B.D. Guenther, Y. Zhang, J.F. Wang, K. Staub, Q. Zhang, S.R. Marder, B. Kippelen and N. Peyghambarian 245 (1999) 407
Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115

-polymeric and biological

Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311

Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445
Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293

Molecular aggregates
Infrared spectrum and structure of $Ni(CO)_2$. A matrix isolation and DFT study, L. Manceron and M.E. Alikhani 244 (1999) 215
Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283
Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
The electric dipole moment of the Ar_2–OCX (X = O,S) complexes, D. Consalvo and J. Gripp 249 (1999) 41
Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191

-dimers
A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431
Effects of surfactants on the aggregation behaviour of thiacarbocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47
Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249

-van der Waals molecules
Classical trajectory study on $Ar - Cl_2$ van der Waals system using a recent potential, N.H.T. Lemes, J.P. Braga and J.C. Belchior 241 (1999) 305
Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249
Application of the vibrational self-consistent field and correlation techniques to the $SH/D(\tilde{A}) \cdots Rg$ (Rg = Ar, Kr) van der Waals complexes, D.A. Firsov, A.A. Granovsky and A.V. Nemukhin 244 (1999) 67
ZEKE spectroscopy of aniline–X (X = Ar, Kr, N_2 and CO) van der Waals complex cations, J.-G. Jäckel and H. Jones 247 (1999) 321
The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27
The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state, I. López-Tocón, J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci 249 (1999) 113

-clusters
Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
Locating critical points on multi-dimensional surfaces by genetic algorithm: test cases including normal and perturbed argon clusters, P. Chaudhury and S.P. Bhattacharyya 241 (1999) 313
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice, M. Alfredsson and K. Hermansson 242 (1999) 161
Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
Many-body interactions calculated with the direct reaction field model, F.C. Grozema, R.W.J. Zijlstra and P.Th. van Duijnen 246 (1999) 217
Electronic structures of 3d transition metal (Ti–Cu) oxides probed by a core hole, C. Suzuki, J. Kawai, H. Adachi and T. Mukoyama 247 (1999) 453
The electric dipole moment of the Ar_2–OCX (X = O,S) complexes, D. Consalvo and J. Gripp 249 (1999) 41
Theoretical studies on the electronic spectrum of linear C_6, M. Hanrath, S.D. Peyerimhoff and F. Grein 249 (1999) 121
Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273
A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155
The effect of a cluster on a chemical reaction: a quasiclassical trajectory study, S. Adhikari and G.D. Billing 250 (1999) 295
Molecular dynamics study of phase transition and nucleation in supercooled clusters of potassium iodide, X.-l. Zhu, X.-z. You, D.-r. Zhu and Z.-h. Zhou 250 (1999) 303

-complexes
Local spin moment of $LaCoO_3$ probed by a core hole, C. Suzuki, J. Kawai, J.-y. Tanizawa, H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama 241 (1999) 17
RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $CbFe(CO)_3$, M. Jaworska 242 (1999) 11
Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27
Theory of weak damped H-bonds: relative influence of relaxation mechanisms on IR spectra, P. Blaise, O. Henri-Rousseau and A. Grandjean 244 (1999) 405
Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
A theoretical study of the isomerization pathways for $HBrO_2$ isomers, S. Guha and J.S. Francisco 247 (1999) 387
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau 248 (1999) 53
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71

Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
In^+ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237
Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321

Free radicals (incl. hydronium and muonium)
The thiyl peroxyl radical: formation and UV spectrum. A multiconfigurational ab initio study, S. Lacombe, M. Loudet, H. Cardy and A. Dargelos 244 (1999) 175
Kinetics of the recombination reactions of CClF with CF_2 and with CClF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
Theoretical study of the electron-spin magnetic moments (g-factors) of F_2^- and Cl_2^- (X_2^-), as well as MX_2 and $M_2X_2^+$ compounds with M = Li, Na, P.J. Bruna and F. Grein 249 (1999) 169
Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1

Quasiparticles (incl. excitons)
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283

Defects and impurities
Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+}- and Li^+-doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339
A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189

Ions and charge carriers
Theoretical study of the structure and NMR properties of μ-hydrido-bridged carbocations and carbodications, V. Galasso 241 (1999) 247
Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319

Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1
Calculation of temporary anion states using density functional theory, A.Z. Szarka, L.A. Curtiss and J.R. Miller 246 (1999) 147
ZEKE spectroscopy of aniline–X (X = Ar, Kr, N_2 and CO) van der Waals complex cations, J.-G. Jäckel and H. Jones 247 (1999) 321
Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig 248 (1999) 263
Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71

Supramolecular assemblies (incl. nanoparticles and nanostructures)
Collision dynamics and surface wetting of nano-scale polymer particles on substrates, K. Fukui, B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid 244 (1999) 339
The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295

Liquid–liquid and liquid–solid interfaces
Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353

Biological assemblies, cells and organelles
Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133
Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69

Proteins
Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141

Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution, Y. Ishii, T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida 247 (1999) 163
Protonation kinetics of GFP and FITC investigated by FCS — aspects of the use of fluorescent indicators for measuring pH, J. Widengren, B. Terry and R. Rigler 249 (1999) 259
Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171

Nucleic acids

How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
Non-ergodic behaviour in conformational transitions of single DNA molecules, S. Wennmalm, L. Edman and R. Rigler 247 (1999) 61

Phenomena

Molecular structure

Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential, M.B. Ferraro, M.C. Caputo and M.E. Zitto 241 (1999) 1
Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127
Computational studies in aqueous and chloroform solutions of complex organic solutes: distinctive effects of the solvent on solutes with small chemical differences, E.A. Armelin, C. Alemán, P.M. Donate and S.E. Galembeck 241 (1999) 167
Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions, S. Elkhattabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257
RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $CbFe(CO)_3$, M. Jaworska 242 (1999) 11
A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179
Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
$E0_g^+ \rightarrow A\,1_u$ and $E0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

Quantum chemical potential energy surfaces for HXeCl, M. Johansson, M. Hotokka, M. Pettersson and M. Räsänen 244 (1999) 25
Application of the vibrational self-consistent field and correlation techniques to the $SH/D(\tilde{A})\cdots Rg$ (Rg = Ar, Kr) van der Waals complexes, D.A. Firsov, A.A. Granovsky and A.V. Nemukhin 244 (1999) 67
Rigidity of the backbone for poly(bis(4-butoxycarbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ^{13}C $T_{1\rho}$ measurements, A.R. Lim, J.H. Kim and B.M. Novak 246 (1999) 373
Density functional study of the $Xe_2H_3^+$ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215
Algebraic method for determining the potential energy surface for nonlinear triatomic molecules, Y. Zheng and S. Ding 247 (1999) 225
Theoretical study of the CH_2Br, $CHBr_2$ and CBr_3 radicals, J. Moc 247 (1999) 365
A theoretical study of the isomerization pathways for $HBrO_2$ isomers, S. Guha and J.S. Francisco 247 (1999) 387
The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt 248 (1999) 17
Unimolecular decomposition of the isomers of $[HNO_2]^+$ and $[HNO_2]^-$ systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147
Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161
The electric dipole moment of the Ar_2–OCX (X = O,S) complexes, D. Consalvo and J. Gripp 249 (1999) 41
A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state, I. López-Tocón, J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci 249 (1999) 113
The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
Theoretical studies of dissociation pathways on the ground state potential energy surface for HXGeO (X = H, F, Cl, and Br), C.-L. Lin, M.-D. Su and S.-Y. Chu 249 (1999) 145
The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273

Vibrations and rotations of molecules

Vibrational wave packet dynamics in NaK: The A $^1\Sigma^+$ state, L.M. Andersson, H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson 241 (1999) 43
A DVR analysis of some vibrational modes in the elongated dihydrogen complex $[Ru(\eta^2\text{-}H_2)(C_5H_5)(H_2PCH_2PH_2)]^+$, R. Gelabert, M. Moreno, J.M. Lluch and A. Lledós 241 (1999) 155
On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions, S. Elkhattabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257
Classical trajectory study on $Ar-Cl_2$ van der Waals system using a recent potential, N.H.T. Lemes, J.P. Braga and J.C. Belchior 241 (1999) 305

A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach, E.S. Bernardes and J.E.M. Hornos 242 (1999) 295
Application of the vibrational self-consistent field and correlation techniques to the $SH/D(\tilde{A})\cdots Rg$ ($Rg = Ar, Kr$) van der Waals complexes, D.A. Firsov, A.A. Granovsky and A.V. Nemukhin 244 (1999) 67
Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study, J.J. Paz, M. Moreno and J.M. Lluch 246 (1999) 103
A molecular model of *p*-terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
Rigidity of the backbone for poly(bis(4-butoxycarbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ^{13}C $T_{1\rho}$ measurements, A.R. Lim, J.H. Kim and B.M. Novak 246 (1999) 373
Spectroscopic investigation of vibration–rotation bands in acetaldehyde:. Focus on the $n\nu_3$ ($n = 1$–5) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433
Algebraic method for determining the potential energy surface for nonlinear triatomic molecules, Y. Zheng and S. Ding 247 (1999) 225
Kurtosis of level distributions in vibrational spectra. Coupled Morse oscillators, M. Bancewicz 247 (1999) 341
Theoretical study of the CH_2Br, $CHBr_2$ and CBr_3 radicals, J. Moc 247 (1999) 365
Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71
Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
Unimolecular decomposition of the isomers of $[HNO_2]^+$ and $[HNO_2]^-$ systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147
Internal heavy-atom effect on spin–orbit and vibronic–spin–orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich 248 (1999) 233
The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
Alignment determination of symmetric top molecule using rotationally resolved LIF, S.-L. Cong, K.-L. Han and N.-Q. Lou 249 (1999) 183
The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35

Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies, A.J. Abkowicz-Bieńko, Z. Latajka, D.C. Bieńko and D. Michalska 250 (1999) 123
Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145
The vibrational spectrum of PdCO isolated in solid argon, B. Tremblay and L. Manceron 250 (1999) 187

Electronic structure and states
Local spin moment of $LaCoO_3$ probed by a core hole, C. Suzuki, J. Kawai, J.-y. Tanizawa, H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama 241 (1999) 17
Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
Energetics, molecular electronic structure, and spectroscopy of forming Group IIA dihalide complexes, T.C. Devore and J.L. Gole 241 (1999) 221
On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions, S. Elkhattabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257
The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
The H_3O Rydberg radical, M. Luo and M. Jungen 241 (1999) 297
RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $CbFe(CO)_3$, M. Jaworska 242 (1999) 11
Energy gradient method for the ground, excited, ionized, and electron-attached states calculated by the SAC (symmetry-adapted cluster)/SAC–CI (configuration interaction) method, T. Nakajima and H. Nakatsuji 242 (1999) 177
A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301
Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
Molecular orbital models of benzene, biphenyl and the oligophenylenes , R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of triorganophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61
An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F, Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209
A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333
Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1
Quantum chemical potential energy surfaces for HXeCl, M. Johansson, M. Hotokka, M. Pettersson and M. Räsänen 244 (1999) 25
Reverting the effect of magnetic couplers in bridged di- and polyradicals, M. Baumgarten and S. Karabunarliev 244 (1999) 35
Ab initio study of the addition of atomic carbon with water, D.-Y. Hwang, A.M. Mebel and B.-C. Wang 244 (1999) 143

The thiyl peroxyl radical: formation and UV spectrum. A multiconfigurational ab initio study, S. Lacombe, M. Loudet, H. Cardy and A. Dargelos 244 (1999) 175
Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
Auger electron spectra of CF_3CN, CF_3Cl, CF_2Cl_2 and $CFCl_3$, Y. Shimizu, K. Ueda, H. Chiba, M. Okunishi, K. Ohmori, Y. Sato, I.H. Suzuki, T. Ibuki and K. Okada 244 (1999) 439
Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
Unusual distributed charge models of water's electric potential, S. Tanizaki, J. Mavri, H. Partridge and P.C. Jordan 246 (1999) 37
The excitation energies of 1,1′-bicyclohexylidene and 1,1′:4′,1″-tercyclohexylidene. A comparison of multi-reference configuration interaction and perturbation theory approaches, R.W.A. Havenith, H.J.J. van Dam, J.H. van Lenthe and L.W. Jenneskens 246 (1999) 49
Potential energy curves of 58 states of Li_2^+, S. Magnier, S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon 246 (1999) 57
Calculation of temporary anion states using density functional theory, A.Z. Szarka, L.A. Curtiss and J.R. Miller 246 (1999) 147
The electronic spectrum of 1, 4, 5, 8-tetraazanaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2, H.T. Liou and K.L. Huang 246 (1999) 391
Photoconductivity of polydiacetylene chains in polymer and monomer single crystals, S. Möller and G. Weiser 246 (1999) 483
Ground-state reduced density matrices, effective Hamiltonians, and optical properties of Schiff bases of retinal, Z. Su, W. Liang and G. Chen 247 (1999) 185
Theoretical study of the electronic structure of KLi and comparison with experiments, S. Rousseau, A.R. Allouche, M. Aubert-Frécon, S. Magnier, P. Kowalczyk and W. Jastrzebski 247 (1999) 193
A simple method for calculating the corrugation of metal surfaces, W. Lehnert, E. Leiva, W. Schmickler and J.W. Schultze 247 (1999) 207
The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351
Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of $TiCl^+$ and TiF^+, C. Focsa and B. Pinchemel 247 (1999) 395
The sulphur 2p photoabsorption spectrum of NSF_3, A. Jürgensen, N. Kosugi and R.G. Cavell 247 (1999) 445
Electronic structures of 3d transition metal (Ti–Cu) oxides probed by a core hole, C. Suzuki, J. Kawai, H. Adachi and T. Mukoyama 247 (1999) 453
Unimolecular decomposition of the isomers of $[HNO_2]^+$ and $[HNO_2]^-$ systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147

Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
Internal heavy-atom effect on spin–orbit and vibronic–spin–orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich 248 (1999) 233
Site-specific phenomena in Si:2p core-level photoionization of $X_3Si(CH_2)_nSi(CH_3)_3$ (X = F or Cl, $n = 0–2$) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
A universal basis set for cations and anions generated with the generator coordinate Hartree–Fock method, F.E. Jorge and P.A. Fantin 249 (1999) 105
Theoretical studies on the electronic spectrum of linear C_6, M. Hanrath, S.D. Peyerimhoff and F. Grein 249 (1999) 121
Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1
A tight-binding model of phenylene molecules with *meta*-connections – implications for phenylacetylene dendrimers, Y. Shimoi and B.A. Friedman 250 (1999) 13
DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene, K.J. Donovan, K. Scott, S. Spagnoli and J. Berrehar 250 (1999) 61
Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279
Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde:electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311

Electric and magnetic properties
Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential, M.B. Ferraro, M.C. Caputo and M.E. Zitto 241 (1999) 1
A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
Theoretical study of the structure and NMR properties of μ-hydrido-bridged carbocations and carbodications, V. Galasso 241 (1999) 247
The nature of the $B^{(3)}$ field, G. Hunter 242 (1999) 331
Reverting the effect of magnetic couplers in bridged di- and polyradicals, M. Baumgarten and S. Karabunarliev 244 (1999) 35
Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by MgO(100): a theoretical study, C. Toubin, S. Picaud and C. Girardet 244 (1999) 227
Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107
The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201

Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding, B. Gillon, M.A. Aebersold, O. Kahn, L. Pardi and B. Delley 250 (1999) 23
Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279

Spin splittings

Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of Fe(*PM-PEA*)$_2$(NCS)$_2$, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75
Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
Theoretical study of the electron-spin magnetic moments (g-factors) of F_2^- and Cl_2^- (X_2^-), as well as MX_2 and $M_2X_2^+$ compounds with M = Li, Na, P.J. Bruna and F. Grein 249 (1999) 169

Optical activity

Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105

Molecular interactions

Ab initio determination of the CN–NH$_3$ capture potential energy surface, A. Faure, C. Rist and P. Valiron 241 (1999) 29
Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules, C. Alemán 244 (1999) 151
Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87
A molecular model of *p*-terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
Translational diffusion of transition metal complexes, B.A. Kowert, A.M. Hughes, N.C. Dang, M.B. Martin, G.H. Cheung, H.D. Tran and J.P. Reed 247 (1999) 435
Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes, E. Czuchaj and H. Stoll 248 (1999) 1

The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27
The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state, I. López-Tocón, J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci 249 (1999) 113
Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201
The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207
In^+ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237

Spectral bandshapes and intensities

Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323
Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV), R. Feng, G. Cooper and C.E. Brion 244 (1999) 127
Absorption line shape of Frenkel excitons in one-dimensional random chains with pairwise correlated Gaussian disorder, F. Domínguez-Adame, V.A. Malyshev and A. Rodríguez 244 (1999) 351
Theory of weak damped H-bonds: relative influence of relaxation mechanisms on IR spectra, P. Blaise, O. Henri-Rousseau and A. Grandjean 244 (1999) 405
Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41
Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau 248 (1999) 53
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71
Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273
Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191

Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223
A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249

Coupling of electronic and nuclear motion

Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene, T. Kato, K. Yoshizawa and T. Yamabe 247 (1999) 375

Energy transfer processes

The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341
$E0_g^+ \rightarrow A\,1_u$ and $E0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111
Many-particle treatment of nonuniform reacting systems $A + B \rightarrow C$ and $A + B \rightarrow C + D$ in liquid solutions, O.A. Igoshin, A.A. Kipriyanov and A.B. Doktorov 244 (1999) 371
Superelastic collisions of electrons with the $c\,^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275
Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283
Non-ergodic behaviour in conformational transitions of single DNA molecules, S. Wennmalm, L. Edman and R. Rigler 247 (1999) 61
Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85
Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution, Y. Ishii, T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida 247 (1999) 163

Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413
Collisional deactivation of CF_3I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm 248 (1999) 195
A semiclassical study of vibrational and rotational transition in $He + H_2$ at suprathermal energies, K. Sakimoto 249 (1999) 1
Energy transfer and migration in highly forbidden transitions of lanthanide ion doped crystals, M. Chua and P.A. Tanner 250 (1999) 267

Molecular photophysical processes

Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123
Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201
On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333
Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV), R. Feng, G. Cooper and C.E. Brion 244 (1999) 127
Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- +1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319
Polymethine and squarylium molecules with large excited-state absorption, J.H. Lim, O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky 245 (1999) 79
Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473
Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517
Linestrengths of phosphorus monohydride. II. Isotope effect in the PX (X = H, D) $b\ ^1\Sigma^+$ $(v' = 0) \rightarrow X\ ^3\Sigma^-$ $(v'' = 0)$ emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
Photoinduced intramolecular electron transfer in covalently linked porphyrin–triptycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363
Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1

Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes, N.A. Davidenko and A.A. Ishchenko 247 (1999) 237
2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41
Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63
Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223
Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171

Photochemistry

Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213
Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
A method to obtain meV-collision-energy resolution in scattering studies: application to the $H + D_2 \rightarrow HD(v' = 0, j') + D(\theta_{rel} < 80°)$ reaction at $E_{rel} = 1.275 \pm 0.011$ eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449
Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115
Kinetics of the recombination reactions of CClF with CF_2 and with CClF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
Nonadiabatic processes in solution: molecular dynamics and surface hopping, P. Cattaneo, M. Persico and A. Tani 246 (1999) 315
Total fragmentation of $SbCl_3$ by multiphoton dissociation in the UV, G. Haunert and E. Tiemann 246 (1999) 381
A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463
Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261

Contact and remote ion radicals formation and recombination, A.I. Burshtein 247 (1999) 275
Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273
Photodissociation of *o*-dichlorobenzene at 266 nm, R.-S. Zhu, H. Zhang, G.-J. Wang, X.-B. Gu, K.-L. Han, G.-Z. He and N.-Q. Lou 248 (1999) 285
The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237
Effects of surfactants on the aggregation behaviour of thiacarbocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47
Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of $HONO_2$ in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131
Multistep photoinduced proton transfer in crystalline 2-(2′,4′-dinitrobenzyl)pyridine, O. Ziane, R. Casalegno and A. Corval 250 (1999) 199
Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207
A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217

Intramolecular dynamics
Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249

-radiationless transitions
The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263

-vibrational energy redistribution (incl. vibrational dissociation)
Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study, K. Ohta, T.J. Kang, K. Tominaga and K. Yoshihara 242 (1999) 103
Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221
Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of $HONO_2$ in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131

-protein motion
The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141

Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron–photoion coincidence spectroscopy, D.P. Seccombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335

Luminescence spectra, yields and lifetimes

Excimer luminescence from single crystals and films of a cyano-substituted phenylene–vinylene model compound, P.F. van Hutten, V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou 241 (1999) 139
Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+}- and Li^+-doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339
The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445
Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1
Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261
Contact and remote ion radicals formation and recombination, A.I. Burshtein 247 (1999) 275
The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems, A. Kadashchuk, D.S. Weiss, P.M. Borsenberger, S. Nešpùrek, N. Ostapenko and V. Zaika 247 (1999) 307
2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41
Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig 248 (1999) 263
Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63

Coherence loss processes

The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89

Nonlinear responses (incl. optical)

Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123
A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367
Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97

Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π-conjugation length on third-order optical nonlinearity of two-dimensional molecules, H.S. Nalwa, M. Hanack, G. Pawlowski and M.K. Engel 245 (1999) 17
Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching, E. Schmälzlin, U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz 245 (1999) 73
Polymethine and squarylium molecules with large excited-state absorption, J.H. Lim, O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky 245 (1999) 79
Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107
Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133
Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
Nonlinear optical properties of polyenoctupoles: a multipolar tensorial quantum analysis, C. Andraud, T. Zabulon, A. Collet and J. Zyss 245 (1999) 243
Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285

In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311
Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
Organic nonlinear optical crystal DAST growth and its device applications, S. Sohma, H. Takahashi, T. Taniuchi and H. Ito 245 (1999) 359
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517
All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
Surface-enhanced non-linear Raman scattering at the single-molecule level, K. Kneipp, H. Kneipp, I. Itzkan, R.R. Dasari and M.S. Feld 247 (1999) 155
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279

Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321

Multiphoton phenomena

On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215

Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517

All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533

Total fragmentation of $SbCl_3$ by multiphoton dissociation in the UV, G. Haunert and E. Tiemann 246 (1999) 381

Reactions (incl. dissociation)

A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109

Locating critical points on multi-dimensional surfaces by genetic algorithm: test cases including normal and perturbed argon clusters, P. Chaudhury and S.P. Bhattacharyya 241 (1999) 313

Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S, K. Sato, S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi 242 (1999) 1

Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91

The thiyl peroxyl radical: formation and UV spectrum. A multiconfigurational ab initio study, S. Lacombe, M. Loudet, H. Cardy and A. Dargelos 244 (1999) 175

Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263

Dispersive charge separation and conformational cooling of $P^+H_A^-$ in reaction centers of *Rb. sphaeroides* R26: a spontaneous emission study, A. Ogrodnik, G. Hartwich, H. Lossau and M.E. Michel-Beyerle 244 (1999) 461

Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99

A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase, A. Rotinov, G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont 246 (1999) 1

Theoretical investigation of the reactions of $O(^3P)$ with CH_3F and CH_2F_2, B. Wang, H. Hou and Y. Gu 247 (1999) 201

Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161

DFT calculation and matrix isolation FTIR studies on the formation of CF_3OBr from $O(^1D)$ and CF_3Br in solid argon, L. Zhang, X. Wang, M. Chen and Q.-z. Qin 249 (1999) 161

Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273

Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts, C. ZhaoXu, X. Heming and Y. Shulin 250 (1999) 243

Dynamic stability ratio of a colloidal dispersion, Y.-C. Kuo and J.-P. Hsu 250 (1999) 285

The effect of a cluster on a chemical reaction: a quasiclassical trajectory study, S. Adhikari and G.D. Billing 250 (1999) 295

-isolated molecules

Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195

Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+, P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163

DFT calculation and matrix isolation FTIR studies on the formation of CF_3OBr from $O(^1D)$ and CF_3Br in solid argon, L. Zhang, X. Wang, M. Chen and Q.-z. Qin 249 (1999) 161

The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237

A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217

-collisional

Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249

A method to obtain meV-collision-energy resolution in scattering studies: application to the $H + D_2 \rightarrow HD(v' = 0, j') + D(\theta_{rel} < 80°)$ reaction at $E_{rel} = 1.275 \pm 0.011$ eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449

Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87

Collisional deactivation of CF_3I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm 248 (1999) 195

State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221

-condensed phase

Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319

A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361

Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds, J. Palomar, J.L.G. De Paz and J. Catalán 246 (1999) 167

Target problem in a lattice with randomly removed bonds, V.M. Syutkin 248 (1999) 213

Molecular dynamics study of phase transition and nucleation in supercooled clusters of potassium iodide, X.-l. Zhu, X.-z. You, D.-r. Zhu and Z.-h. Zhou 250 (1999) 303

Tunneling

A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189

Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49

Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111

Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 273
Tunneling splittings in vibrational spectra of non-rigid molecules. VI. Asymmetric double-well potentials, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 299
Theoretical investigation of the reactions of $O(^3P)$ with CH_3F and CH_2F_2, B. Wang, H. Hou and Y. Gu 247 (1999) 201
Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71

Electron transfer
Stochastic effects on nonadiabatic transitions, P.A. Frantsuzov, S.F. Fischer and A.A. Zharikov 241 (1999) 95
Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111
Excited charge transfer states in donor–acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251
Many-particle treatment of nonuniform reacting systems $A + B \rightarrow C$ and $A + B \rightarrow C + D$ in liquid solutions, O.A. Igoshin, A.A. Kipriyanov and A.B. Doktorov 244 (1999) 371
Theory of non-thermal electron transfer, A.I. Ivanov and V.V. Potovoi 247 (1999) 245
Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293
Electron transfer in poly(*p*-phenylene) oligomers: effect of external electric field and application of Koopmans theorem, X.-Y. Li, X.-S. Tang and F.-C. He 248 (1999) 137
Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63
Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1
Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279
Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321

Proton and hydrogen atom transfer
How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+, P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163
Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387
A method to obtain meV-collision-energy resolution in scattering studies: application to the $H + D_2 \rightarrow HD(v' = 0, j') + D(\theta_{rel} < 80°)$ reaction at $E_{rel} = 1.275 \pm 0.011$ eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449
Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldimine, M. Forés and S. Scheiner 246 (1999) 65
A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463
Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
Protonation kinetics of GFP and FITC investigated by FCS — aspects of the use of fluorescent indicators for measuring pH, J. Widengren, B. Terry and R. Rigler 249 (1999) 259
Multistep photoinduced proton transfer in crystalline 2-(2′,4′-dinitrobenzyl)pyridine, O. Ziane, R. Casalegno and A. Corval 250 (1999) 199

Positron annihilation
Effect of water-soluble electron scavengers on positronium formation in AOT/water/isooctane microemulsions, V.S. Subrahmanyam, M.F. Ferreira Marques and G. Duplâtre 247 (1999) 333

Ionization (incl. Rydberg states)
Subthreshold photoionization spectra of CH_3I perturbed by SF_6, C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
The H_3O Rydberg radical, M. Luo and M. Jungen 241 (1999) 297
Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91

Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319
Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77
Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF_3, G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81
A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron–photoion coincidence spectroscopy, D.P. Seccombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335

Molecular motion (incl. diffusive)

Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353
On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
Translational diffusion of transition metal complexes, B.A. Kowert, A.M. Hughes, N.C. Dang, M.B. Martin, G.H. Cheung, H.D. Tran and J.P. Reed 247 (1999) 435
Target problem in a lattice with randomly removed bonds, V.M. Syutkin 248 (1999) 213
Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171

Isotopic effects

Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127
A DVR analysis of some vibrational modes in the elongated dihydrogen complex $[Ru(\eta^2\text{-}H_2)(C_5H_5)(H_2PCH_2PH_2)]^+$, R. Gelabert, M. Moreno, J.M. Lluch and A. Lledós 241 (1999) 155
Deuterium isotope effect on swelling process in aqueous polymer gels, H. Shirota and K. Horie 242 (1999) 115
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 273
Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene, T. Kato, K. Yoshizawa and T. Yamabe 247 (1999) 375

Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81

Fluctuations and noise

A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367

Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69

Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85

Collective motion and excitations

Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of Fe(*PM-PEA*)$_2$(NCS)$_2$, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75

Surface chemical physics

Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69

A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277

Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2, H.T. Liou and K.L. Huang 246 (1999) 391

-surface scattering

Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341

Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115

A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463

Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413

-adsorption

Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by MgO(100): a theoretical study, C. Toubin, S. Picaud and C. Girardet 244 (1999) 227

Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207

-adsorbate structure

Influence of hollow site adsorption in a model for the catalytic CO + O_2 and CO + NO reaction, O. Kortlüke and W. von Niessen 247 (1999) 299

-surface reactions
Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2, H.T. Liou and K.L. Huang 246 (1999) 391
Influence of hollow site adsorption in a model for the catalytic $CO + O_2$ and $CO + NO$ reaction, O. Kortlüke and W. von Niessen 247 (1999) 299

-catalysis
Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195
Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27
Spectroscopic investigation of vibration–rotation bands in acetaldehyde:. Focus on the $n\nu_3$ ($n = 1$–5) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433

Electronic process in gases
Subthreshold photoionization spectra of CH_3I perturbed by SF_6, C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
Superelastic collisions of electrons with the $c\,^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275
Spectroscopic investigation of vibration–rotation bands in acetaldehyde:. Focus on the $n\nu_3$ ($n = 1$–5) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433

Thermodynamic and transport properties
Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data, M.O. Vlad, J. Ross and A. Plonka 243 (1999) 273
The ab-initio calculation of the gas phase ion mobility of Na^+ in N_2, A.E. Thompson, R.G.A.R. Maclagan and P.W. Harland 248 (1999) 127

Structure of solids, liquids and glasses
Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55
Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+}- and Li^+-doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339
Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353
Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169
Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295

Critical behavior and phase transitions
Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture, P. Habdas, M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska 241 (1999) 351

A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277
A molecular model of *p*-terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
Influence of hollow site adsorption in a model for the catalytic $CO + O_2$ and $CO + NO$ reaction, O. Kortlüke and W. von Niessen 247 (1999) 299

Molecular self-assembly and -organization
Collision dynamics and surface wetting of nano-scale polymer particles on substrates, K. Fukui, B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid 244 (1999) 339
Effects of surfactants on the aggregation behaviour of thiacarbocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47

Biomolecular structure–function relationships
Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141

BRINGING THE

WORLD'S LARGEST

SCIENTIFIC DATABASE

TO YOUR DESKTOP

SCIENCE DIRECT®

ScienceDirect® provides electronic full text access to more than 1,000 scientific, technical and medical journals published by Elsevier Science and the leading STM publishers.

- Desktop access to more than 550,000 full text articles across 14 fields of science
- Intuitive search and navigation through a simple Web-based interface
- Direct links to full text through a broad collection of secondary databases – delivered via the Internet or your local Intranet
- Current and back issues of journals plus links to document delivery services

http://www.sciencedirect.com

New York	Amsterdam	Singapore	Tokyo	Rio de Janeiro
+1 212 633 3809	+31 20 485 3767	+65 434 3716	+81 3 5561 5035	+55 21 509 5340
usinfo@sciencedirect.com	nlinfo@sciencedirect.com	sginfo@sciencedirect.com	jpinfo@sciencedirect.com	brinfo@sciencedirect.com

Elsevier Science on the Internet

Your comprehensive and easy-to-use guide to the world-wide range of Elsevier Science products and services.



Visit Elsevier Science on the Internet and access a unique repository of information covering the entire scientific spectrum. Our time-saving search facilities will lead you to our frequent updates in seconds.

Main features include:

- Alerting and awareness facilities for new and forthcoming publications.
- Fast, time-saving search facilities.
- Frequent updates.

http://www.elsevier.com

http://www.elsevier.nl

ELSEVIER

PERGAMON

NORTH-HOLLAND

EXCERPTA MEDICA

(continued from inside front cover)

Submission of papers: All papers should be submitted in *quadruplicate* to one of the editors.

Electronic manuscripts: Electronic manuscripts have the advantage that there is no need for the rekeying of text, thereby avoiding the possibility of introducing errors and resulting in reliable and fast delivery of proofs.

For the initial submission of manuscripts for consideration, hardcopies are sufficient. For the processing of *accepted papers*, electronic versions are preferred. After *final acceptance*, your disk plus one final and exactly matching printed version should be submitted together. Double density (DD) or high density (HD) diskettes (3.5 or 5.25 inch) are acceptable. It is important that the file saved is in the native format of the wordprocessor program used. Label the disk with the name of the computer and wordprocessing package used, your name, and the name of the file on the disk.

Important: please adhere to instructions to authors, to be found on the last pages of each volume. The instructions can also be found on the World Wide Web: access under http://www.elsevier.nl or http://www.elsevier.com.

Proofs and reprints: Authors will receive **proofs**, which they are requested to correct and return as soon as possible. No new material may be inserted in the text at the time of proofreading. A total of **50 reprints** of each paper will be supplied free of charge to the author(s). Additional reprints can be ordered at prices shown on the reprint order form.

All questions arising after acceptance of the manuscript, especially those relating to proofs, should be directed to *Chemical Physics*, Elsevier Science B.V., P.O. Box 2759, 1000 CT Amsterdam, The Netherlands. Tel. (+31-20)4852-800, Fax (+31-20)4852-775, E-mail: e.hovens@elsevier.nl

Authors in Japan please note: Upon request, Elsevier Science K.K. will provide authors with a list of people who can check and improve the English of their paper (*before submission*). Please contact our Tokyo office: Elsevier Science K.K., 9-15 Highashi-Azabu, 1-chome Minato-ku, Tokyo 106-0044, Tel. (03)-5561-5032; Fax (03)-5561-5045.

Chemical Physics has no page charges.

Publication Information: *Chemical Physics* (ISSN 0301-0104) For 1999, volumes 240–251 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.nl/locate/chemphys). Further information is available on this journal and other Elsevier Science products through Elevier's website: http://www.elsevier.nl. Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims, and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:

New York: Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA; phone: (+1) (212) 633-3730 [toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; fax: (+1) (212) 633-3680; e-mail: usinfo-f@elsevier.com
Amsterdam: Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) 20 4853757; fax: (+31) 20 4853432; e-mail: nlinfo-f@elsevier.nl
Tokyo: Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047; e-mail: info@elsevier.co.jp
Singapore: Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192; phone: (+65) 434 3727; fax: (+65) 337 2230; e-mail: asiainfo@elsevier.com.sg
Rio de Janeiro: Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; phone: (+55) (21) 509 5340; fax: (+55) (21) 507 1991; e-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

Advertising information. Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561-5033; fax: (+81) (3) 5561 5047. **Europe and ROW:** Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.leveson-gower@elsevier.co.uk.

US mailing notice: *Chemical Physics* (ISSN 0301-0104) is published semi-monthly by Elsevier Science B.V. (P.O. Box 211, 1000 AE Amsterdam, The Netherlands). Annual subscription price in the USA US$5125.00 (valid in North, Central and South America), including air speed delivery. Application to mail at periodical postage rate is paid at Jamaica, NY 11431.
USA POSTMASTER: Send address changes to *Chemical Physics*, Publications Expediting Inc., 200 Meacham Ave, Elmont, NY 11003.
AIRFREIGHT AND MAILING in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

CONTENTS direct

Sign-up is simple!

1. ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
2. FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
3. THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

REGISTER TODAY

www.elsevier.com/locate/contentsdirect

0301-0104(199912)250:3002;1-C

http://ChemWeb.com
The World Wide Club for the Chemical Community


1.0
1.1
1.25
1.4
1.6
2.8
3.2
3.6
4.0
2.5
2.2
2.0
1.8